Built-in and freestanding home appliances

2015

BOSCH
Invented for life

Showroom reference copy



Who are Bosch?

"I have always acted according to the principle that it is better to lose money than trust. The integrity of my promises, the belief in the value of my products and in my word of honour have always had a higher priority to me than a transitory profit."

Robert Bosch, 1921

For over 125 years, the Bosch name has been synonymous with engineering excellence. Our home appliances are renowned for their quality, reliability and performance which derives from our inherent, unflagging commitment and the painstaking thoroughness with which every unit is made. As you would expect from German engineering, there are no gimmicks or frills with our products – just pure, clean lines and beautiful, functional simplicity that will enhance any kitchen.

For the fourth year running, **Bosch has received a prestigious Which? Award – Best Home Appliance Brand for 2014**. Our success is the fifth time in six years that we have received a coveted Which? Award that independently recognises Bosch's outstanding quality and customer experience. No other brand has won this accolade as many times and four years running is a record.

The values that shaped Robert Bosch's vision for his new company in 1886 are the same principles that guide the business today; never lose the trust of your customers, look after your staff and partners and change things for the better. It's what has kept Bosch at the forefront of the home appliance industry and what will keep it there in the future.

Contents.

Customer Service	02-03
Built-in Ovens	06-43
Single ovens	10-21
Double ovens	22-29
Compact ovens	30-35
Coffee machine	36
Warming drawers	37
Microwaves	38-43
Built-in Hobs	44-67
FlexInduction hobs	48-50
Ceramic Induction hobs	50-54
Quick-Therm ceramic hobs	55-56
Sealed plate electric hobs	57
Gas hobs	58-65
Domino hobs	66-67
Built-in Hoods	68-93
Chimney hoods	72-87
Telescopic and integrated hoods	88-89
Built under conventional hood	91
Canopy hoods	89-93
Built-in Refrigeration	94-121
Fridge freezers	98-106
Fridges and freezers	107-121
Built-in Dishwashers	122-145
Semi-integrated 60cm dishwashers	126-128
Fully-integrated 60cm dishwashers	129-141
Fully-integrated slimline dishwashers	142-145
Built-in Home laundry	146-153
Washing machines	150-151
Washer dryers	152-153
Freestanding Home laundry	156-181
Washing machines	160-169
Tumble dryers	170-177
Washer dryers	178-181
Freestanding Dishwashers	182-195
60cm dishwashers	186-190
Slimline dishwashers	191-193
Compact dishwashers	194-195
Freestanding Refrigeration	196-237
Fridge freezers	200-221
American-style fridge freezers	222-224
Upright fridges and freezers	225-234
Wine cabinets	235
Chest freezers	236-237
Freestanding Small appliances	238-251
Garment care	240-241
Floorcare	242-245
Kitchenware	246-250
Installation and specification guide	253-314

Service you can depend on.

For help with your home appliance,
trust Bosch Customer Service.

Arrange an engineer visit.
Our appliances are manufactured to the highest standards, but if your customers do need a visit from an engineer we are here to help. We have teams of locally based engineers around the country – employed and trained by Bosch*. This gives them unrivalled expertise and knowledge of our appliances.
We repair appliances both in and out of guarantee. All repairs are analysed in advance by a technical team so that the parts likely to be needed to complete the repair are sent to the engineer's van the night before the visit.

To arrange an engineer visit to your customer's home please call:
0344 892 8979
Lines are open 24 hours.

Customers can also arrange an engineer visit online by visiting:
www.bosch-home.co.uk/bookonline

Product advice.
If customers need help using programmes or features, or need assistance selecting a new Bosch appliance from our current range, our product advice team can help.

You can call us on
0344 892 8979 or visit:
www.bosch-home.co.uk
for frequently asked questions and help videos.

Register my appliance

We advise that customers register their appliances so that we have full records in the event of needing to contact them about a product update. Visit **www.registermyappliance.org.uk** for more information.

Visit the Bosch online store.
Customers can find a comprehensive selection of accessories to help them get the most out of their appliance, along with our full range of replacement spare parts and cleaning and care products at the Bosch online store.

Customers can also purchase Tassimo hot drinks machines, vacuum cleaners, irons, steam stations, kettles, toasters and food preparation appliances directly from us online.

Call us on
0344 892 8979 or visit:
www.bosch-home.co.uk/store

Retailers can purchase accessories, cleaning products and replacement spare parts at a discount on an account. Please email **mks-spares@bshg.com** for more information.

Calls will be answered 24 hours a day, seven days a week.
You can contact our specialist advisors Monday to Friday 8am to 8pm, Saturday 8am to 4pm and Sunday 9am to 3pm.



Accessories.
Many appliances can be enhanced with optional extras, such as telescopic rails for ovens or special cookware for hobs.

When buying a Bosch home appliance, customers know they are purchasing a quality, reliable product. However many appliances are used daily, so need cleaning and maintaining to keep them looking great and operating at peak performance.

Every one of our cleaning and care products has been thoroughly tested and approved for safe and effective use on Bosch home appliances.

Replacement spare parts.
We keep in stock a comprehensive range of replacement spare parts for our appliances for up to ten years. All our parts are original spare parts, not copies.

Highly commended service.
Bosch Customer Service is proud to be recognised in the Domestic and General Total Excellence and Quality awards. These prestigious awards are voted for by our customers.

In our latest results 94.6%** of customers said our service was excellent or good. This meant Bosch received the Highly Commended accolade.

* In some remote areas we may use an approved service partner where the repair process may vary.
** Domestic and General Survey 2014.
Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Built-in.

Everything we know about energy-saving, green technology has been integrated into our range of feature-rich, built-in appliances.

Built-in

Ovens	6
Hobs	44
Hoods	68
Refrigeration	94
Dishwashers	122
Home laundry	146

BOSCH

Perfectly even results, every time.

Truly perfect baking and roasting requires not only the ideal temperature, but also the appropriate heating mode. From 4D Hotair to Hotair Eco, our ovens offer up to 15 different heating functions that deliver great results, whatever the dish.

Ovens.
Stylish, single and double ovens with multifunctional cooking programmes, the additional reassurance of quadruple glazed doors on selected models and time-saving self-cleaning technology.

Steam ovens.
Lock in more natural vitamins and minerals in fruit and vegetables with gentle steam cooking. It’s healthier and tastes better too. Steam ovens also perfectly cook meats and fish, and reheat meals or leftovers without drying them out.

Compact appliances.
Multifunctional, compact appliances that combine conventional ovens with steam, grill and microwave functions for a great, all-round cooking performance.

Microwaves.
Designed for speed and convenience, microwaves are intuitive, easy-to-use and versatile. Available as built-in and freestanding units.

Warming drawers.
Pre-heated crockery keeps food warmer for longer. Bosch warming drawers offer additional versatility by keeping food warm for up to an hour and as a gentler way to defrost food from the freezer.

Introducing the Bosch oven range.

Perfect results with 4D Hotair.
Thanks to **4D Hotair**, you can place your food on any of the four shelf levels and the results will be consistently perfect. Our new fan wheel changes the direction of rotation during operation to distribute heat evenly on every level.

Become the perfect cook – at the touch of a button.
With **PerfectBake** and **PerfectRoast**, there is almost no limit to what you can do. These sensor-controlled functions ensure that your oven always knows exactly how your dish is progressing, setting the optimal heating mode, temperature and cooking time.



Full steam ahead – for full taste.
When you cook using one of our classic heating modes, dishes turn out even better if you add a little bit of moisture from time to time. And that's exactly what our **added steam function** does.

Everything you need at your fingertips.
Our new, **intuitive control wheel** makes cooking easier than ever. With just a small turn of the stainless steel wheel, you can adjust any of your oven's settings, giving you full control over your dishes at all times with the perfect end result.

Using the highest quality stainless steel and glass, our ovens and compact appliances combine beautifully to deliver a timeless, elegant and stylish finish to any kitchen with sleek, co-ordinated lines and matching panels.

Serie | 8 ●●●●●

Our premium range.
Impressive technology and design. From their elegant design and crystal clear TFT touch display the range of Serie 8 ovens meet every need and more in the kitchen. The innovative control wheel provides convenience and functionality with full control over your dishes at all times. Plus, thanks to sensor-controlled programmes, you'll achieve perfect results every time.

Serie | 6 ●●●●○

Our essential range.
Simple elegance meets superior technology. Serie 6 ovens give you more than just convenient operation and maximum energy efficiency. Modern functionality means your oven is easy to use with various programmes to suit various foods, all available to view clearly on the large LED display.

Serie | 4 ●●●○○

Our practical model.
Modern design, quality engineering and practicality.
The Serie 4 compact microwave oven looks stunning inside and out. Microwave technlogy makes it easier for you and the family to cook.

menu
Temperature
BOSCH

Serie 8 single pyrolytic oven with added steam
HRG6769S1B brushed steel

Key features
- TFT colour and graphics display with direct touch function
- SoftClose, SoftOpen door
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- BoschAssist
- Pyrolytic self-cleaning function
- Pyrolytic proof wire racks and full width enamelled pan
- PerfectRoast meatprobe
- PerfectBake sensor

Design
- Stainless steel control wheel
- Straight bar handle with steel handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- Main on/off switch
- 3 interior lights
- LED light
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- Smooth enamelled oven interior
- 5 shelf positions
- Full glass inner door
- Tank empty indicator

Programmes/functions
- 15 cooking functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, intensive heat, low temperature cooking, defrost, plate warming, dehydrate, keep warm
- Fast heat
- Sabbath setting

Performance/technical information
- 71 litre capacity
- Water tank 1 litre

Standard accessories
- 3 level telescopic rails with stop function
- 2 x wire shelves
- Full width enamelled pan

Serie 8 single pyrolytic oven
HBG6764S1B brushed steel
HBG6764B1B black

Energy A+ | 4D Hotair | Safety

Green Technology inside

Key features
- TFT colour and graphics display with direct touch function
- SoftClose, SoftOpen door
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- BoschAssist
- Pyrolytic self-cleaning function
- Pyrolytic proof wire racks and full width enamelled pan
- PerfectRoast meatprobe
- PerfectBake sensor

Design
- Stainless steel control wheel
- Straight bar handle with steel handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- Main on/off switch
- 1 interior light
- Halogen interior light
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- Smooth enamelled oven interior
- 5 shelf positions
- Full glass inner door

Programmes/functions
- 13 cooking functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm
- Fast heat
- Sabbath setting

Performance/technical information
- 71 litre capacity

Standard accessories
- 1 level telescopic rail with stop function
- 2 x wire shelves
- Full width enamelled pan

Serie 8 single pyrolytic oven
HBG674BS1B brushed steel
HBG674BB1B black

Key features
- TFT colour and text display with direct touch function
- SoftClose, SoftOpen door
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- Pyrolytic self-cleaning function
- Pyrolytic proof wire racks and full width enamelled pan

Design
- Stainless steel control wheel
- Straight bar handle with steel handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- Main on/off switch
- 1 interior halogen light
- Light on/off when oven door opened/closed
- Control panel lock
- Automatic safety switch off
- Start button
- Door contact switch
- Smooth enamelled oven interior
- 5 shelf positions
- Full glass inner door

Programmes/functions
- 15 cooking functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, pre heat, keep warm
- Fast heat
- Sabbath setting

Performance/technical information
- 71 litre capacity

Standard accessories
- 2 x wire shelves
- Full width enamelled pan

Serie 6 single multi-function pyrolytic oven
HBA73R350B brushed steel

Energy A | Multifunction 3D | Safety

Green Technology inside

Key features
- Pyrolytic self-cleaning function

Design
- Control panel height 11.5cm
- Single window display
- Retractable control dials
- Black handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- 1 interior halogen light
- Control panel lock
- Smooth enamelled oven interior
- 5 shelf positions

Programmes/functions
- 10 cooking functions: 3D Hotair, Hotair Eco, conventional top and bottom heat, Hotair grilling, full width variable grill, half width variable grill, pizza setting, bottom heat, defrost
- Fast heat

Performance/technical information
- 63 litre capacity

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves
- Extendible telescopic shelf

Serie 6 single multi-function pyrolytic oven
HBA63B150B brushed steel

Key features
- Pyrolytic self-cleaning function

Design
- Control panel height 11.5cm
- Single window display
- Retractable control dials
- Black handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- 1 interior halogen light
- Control panel lock
- Smooth enamelled oven interior
- 5 shelf positions

Programmes/functions
- 6 cooking functions: 3D Hotair, Hotair Eco, conventional top and bottom heat, Hotair grilling, full width variable grill, bottom heat
- Fast heat

Performance/technical information
- 63 litre capacity

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves

Serie 8 single oven with added steam
HBG656RS1B brushed steel
HBG656RB1B black

Energy A+ | 4D Hotair | Safety

Green Technology inside

Key features
- TFT colour and graphics display with direct touch function
- SoftClose, SoftOpen door
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- BoschAssist
- EcoClean Direct: back, roof and sides
- PerfectBake sensor
- PerfectRoast meatprobe

Design
- Stainless steel control wheel
- Straight bar handle with steel handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- Main on/off switch
- 1 interior light
- Halogen interior light
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- Smooth enamelled oven interior
- 5 shelf positions
- Full glass inner door

Programmes/functions
- 13 cooking functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm
- Fast heat
- Sabbath setting

Performance/technical information
- 71 litre capacity

Standard accessories
- 1 level telescopic rail with stop function
- 2 x wire shelves
- Full width enamelled pan

Serie 8 single oven
HBG634BS1B brushed steel
HBG634BB1B black

Key features
- TFT colour and text display with direct select buttons
- SoftClose, SoftOpen door
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- EcoClean Direct: back

Design
- Stainless steel control wheel
- Straight bar handle with steel handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- Main on/off switch
- 1 interior light
- Halogen interior light
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- 5 shelf positions
- Full glass inner door

Programmes/functions
- 13 cooking functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm
- Fast heat
- Sabbath setting

Performance/technical information
- 71 litre capacity

Standard accessories
- Easy fit shelf support rails with electronic link
- 2 x wire shelves
- Full width enamelled pan

Serie 6 single multi-function oven
HBA53R350B brushed steel

Energy A | Multifunction 3D | Safety

Green Technology inside

Key features
- EcoClean® back, roof and side liners

Design
- Control panel height 11.5cm
- Single window display
- Retractable control dials
- Black handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- 1 interior halogen light
- Control panel lock
- Smooth enemalled oven interior
- 5 shelf positions

Programmes/functions
- 10 cooking functions: 3D Hotair, Hotair Eco, conventional top and bottom heat, Hotair grilling, full width variable grill, half width variable grill, pizza setting, bottom heat, defrost
- Fast heat

Performance/technical information
- 66 litre capacity

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves
- Extendible telescopic shelf

Serie 6 single multi-function oven
HBA23B150B brushed steel

Key features
- EcoClean® back liners

Design
- Control panel height 11.5cm
- Standard control dials
- Push buttons
- Straight bar handle with black handle fixing blocks
- Horizontal strip door design
- Drop down door

Features
- Electronic clock timer
- Automatic on/off programmer
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- Full glass inner door
- Heat reflective glass

Programmes/functions
- 5 cooking functions: 3D Hotair, full width variable grill, Hotair grilling, conventional top and bottom heat
- Fast heat

Performance/technical information
- Oven capacity: 67 litres

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves
- Oven cook book

Serie 6 single multi-function oven
HBA13R150B stainless steel

Energy A | Multifunction 3D | Safety

Green Technology inside

Key features
- 1 level telescopic shelf

Design
- Single display window
- Control dials with metal cap
- Straight bar handle with steel handle fixing blocks
- Drop down door

Features
- Electronic clock timer
- Automatic on/off programmer
- 2 fixed controls
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- Full glass inner door
- Heat reflective glass

Programmes/functions
- 4 cooking functions: 3D Hotair, defrost, full width variable grill, Hotair grilling

Performance/technical information
- Oven capacity: 67 litres

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves

Serie 6 single 3D Hotair oven
HBA13B150B stainless steel
HBA13B160B black
HBA13B120B white

Energy A | Multifunction 3D | Safety

Green Technology inside

Design
- Control panel height 11.5cm
- Standard control dials
- Push buttons
- Straight bar handle with black handle fixing blocks
- Horizontal strip door design
- Drop down door

Features
- Electronic clock timer
- Automatic on/off programmer
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- Full glass inner door
- Heat reflective glass

*

Programmes/functions
- 4 cooking functions: 3D Hotair, defrost, full width variable grill, Hotair grilling

Performance/technical information
- Oven capacity: 67 litres

Standard accessories
- Full width enamelled pan
- Wire pan insert
- Wire shelf
- Oven cook book

* Please note, door is not solid black and is see through.

Serie 6 double multi-function oven
HBM56B551B brushed steel

Energy A | Energy B | EcoClean | Multifunction 3D | Safety | Green Technology inside

Key features
- Electronic control (Main oven)
- Digital temperature display with proposal
- Digital symbol and function display
- Heating-up indicator
- Residual heat indicator
- Actual temperature display
- Automatic safety switch off
- EcoClean® self-cleaning programme

Design
- Control panel height 11.5cm
- Twin display window
- Central illuminated full metal control dial
- Metal touch controls
- Straight bar handle with steel handle fixing blocks
- Steel handle fixing blocks
- U-shape glass on metal door design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 1 retractable control dial
- Independent oven light button
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions
- 10 cooking functions: Hotair Eco, 3D Hotair, defrost, full width variable grill, half width variable grill, Hotair grilling, pizza function, conventional top and bottom heat, keep warm
- EcoClean cleaning with 3 settings for both ovens
- Auto cook – 40 programmes
- 1 memory setting
- Fast heat

Secondary top oven features
- Smooth enamelled interior with easy fit support rails
- 2 shelf positions
- EcoClean, back, roof and side liners

Performance/technical information

Main lower oven
- Large oven capacity: 66 litres
- Energy efficiency class: A

Top oven
- Oven Capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- Wire shelf

Serie 6 double multi-function oven
HBM53R550B brushed steel

Key features
- EcoClean® self-cleaning programme

Design
- Control panel height 11.5cm
- Single display window
- Controls dials with metal cap
- Touch control
- Straight bar handle with steel handle fixing blocks
- Steel handle fixing blocks
- Black handle fixing blocks
- U-shape glass on metal door design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 2 retractable control dials
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 8 cooking functions: 3D Hotair, defrost, full width variable grill, half width variable grill, Hotair grilling, pizza function, conventional top and bottom heat
- Fast heat

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (top oven)
- 3 cooking functions: full width variable grill, half width variable grill, conventional top and bottom heat

Performance/technical information

Main lower oven
- Large oven capacity: 66 litres
- Energy efficiency class: A

Top oven
- Oven Capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- Wire shelf

Serie 6 double Hotair oven
HBM13B550B brushed steel

Energy A | Energy B | Multifunction 3D | Safety

Green Technology inside

Design
- Control panel height 11.5cm
- Single display window
- Controls dials with metal cap
- Metal touch controls
- Touch control
- Straight bar handle with steel handle fixing blocks
- Full width door with side strip design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 1 retractable control dial
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- EcoClean® back liner
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 2 cooking functions: 3D Hotair, defrost

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back and roof liners
- Full glass inner door
- Heat reflective glass

Performance/technical information

Main lower oven
- Large oven capacity: 66 litres
- Energy efficiency class: A

Top oven
- Oven capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 3 wire shelves

Serie 6 double multi-function oven
HBM43B250B brushed steel
HBM43B260B black

*

Key features
- EcoClean® Liners (back, side, roof)

Design
- Control panel height 11.5cm
- Single display window
- Standard control dials
- Touch control
- Straight bar handle with black handle fixing blocks
- Full width door with side strip design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 2 retractable control dials
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 5 cooking functions: 3D Hotair, full width variable grill, Hotair grilling, conventional top/bottom heat
- Fast heat

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (top oven)
- 3 cooking functions: full width variable grill, half width variable grill, conventional top and bottom heat

Performance/technical information

Main lower oven
- Large oven capacity: 66 litres
- Energy efficiency class: A

Top oven
- Oven capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 3 wire shelves

* Please note, door is not solid black and is see through.

*

Serie 6 double Hotair oven
HBM13B251B brushed steel
HBM13B261B black
HBM13B221B white

Energy A | Energy B | Multifunction 3D | Safety

Green Technology inside

Design
- Control panel height 11.5cm
- Single display window
- Standard control dials
- Touch control
- Straight bar handle with black handle fixing blocks
- Full width door with side strip design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 1 retractable control dial
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 5 shelf positions
- EcoClean® back liner
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 2 cooking functions: 3D Hotair, defrost

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back and roof liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (top oven)
- 2 cooking functions: full width variable grill, conventional top and bottom heat

Performance/technical information

Main lower oven
- EcoClean® back liner
- Large oven capacity: 71 litres
- Energy efficiency class: A

Top oven
- Oven capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 3 wire shelves
- Oven cook book

* Please note, door is not solid black and is see through.

Serie 6 built-under double multi-function oven
HBN53R550B brushed steel

Key features
- EcoClean® self-cleaning programme

Design
- Control panel height 9.6cm
- Single display window
- Controls dials with metal cap
- Touch control
- Straight bar handle with steel handle fixing blocks
- U-shape glass on metal door design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 2 retractable control dials
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 3 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 8 cooking functions: 3D Hotair, defrost, full width variable grill, half width variable grill, Hotair grilling, pizza function, conventional top/bottom heat
- Fast heat

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (top oven)
- 3 cooking functions: full width variable grill, half width variable grill, conventional top and bottom heat

Performance/technical information

Main lower oven
- Oven capacity: 50 litres
- Energy efficiency class: A
- EcoClean® back liner

Top oven
- Oven Capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- Wire shelf
- Oven cook book

*

Serie 6 built-under double multi-function oven
HBN43B250B brushed steel
HBN43B260B black

Design
- Control panel height 9.6cm
- Single display window
- Standard control dials
- Touch control
- Straight bar handle with black handle fixing blocks
- Full width door with side strip design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 2 retractable control dials
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 3 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 5 cooking functions: 3D Hotair, full width variable grill, Hotair grilling, conventional top/bottom heat
- Fast heat

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back, roof and side liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (top oven)
- 3 cooking functions: full width variable grill, half width variable grill, conventional top and bottom heat

Performance/technical information

Main lower oven
- Oven capacity: 50 litres
- Energy efficiency class: A

Top oven
- Oven Capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves
- Oven cook book

* Please note, door is not solid black and is see through.

Serie 6 built-under double Hotair oven
HBN13B251B brushed steel
HBN13B261B black
HBN13B221B white

*

Design
- Control panel height 9.6cm
- Single display window
- Standard control dials
- Touch control
- Straight bar handle with black handle fixing blocks
- Full width door with side strip design
- Drop down door

Main lower oven features
- Electronic clock timer
- Automatic on/off programmer
- 1 retractable control dial
- 1 interior light
- Control panel lock
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 3 shelf positions
- EcoClean® back liner
- Full glass inner door
- Heat reflective glass

Programmes/functions (main oven)
- 2 cooking functions 3D Hotair, defrost

Secondary top oven features
- 2 retractable control dials
- 1 interior light
- Smooth enamelled oven interior
- Easy fit shelf support rails
- 2 shelf positions
- EcoClean® back and roof liners
- Full glass inner door
- Heat reflective glass

Programmes/functions (top oven)
- 2 cooking functions: conventional heat, full width variable grill

Performance/technical information

Main lower oven
- Oven capacity: 56 litres
- Energy efficiency class: A

Top oven
- Oven capacity: 35 litres
- Energy efficiency class: B

Standard accessories
- Full width enamelled pan
- Wire pan insert
- 2 wire shelves
- Oven cook book

* Please note, door is not solid black and is see through.

Serie 8 pyrolytic compact oven
CBG675BS1B

Energy A+ | 4D Hotair | Safety

Green Technology inside

Key features
- TFT colour and text display with direct select buttons
- SoftClose, SoftOpen door
- Pyrolytic self-cleaning function
- Auto cook programmes
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- Automatic programmes

Design
- Stainless steel control wheel
- Drop down door
- Straight bar handle with steel handle fixing blocks

Features
- Electronic clock timer
- Halogen interior light
- Pyrolytic proof trayholder and baking tray
- 3 shelf positions
- Full glass inner door
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch

Programmes/functions
- 13 main functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, defrost, plate warming, keep warm
- Fast heat
- Sabbath setting

Performance/technical information
- 47 litre capacity

Standard accessories
- Easy fit shelf support rails with electronic link
- 1 x wire shelf
- 1 x enamelled pan

Serie 8 compact steam oven
CSG656BS1B

Key features
- TFT colour and graphics display with direct touch function
- SoftClose, SoftOpen door
- EcoClean Direct: back, roof and sides
- BoschAssist
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator

Design
- Stainless steel control wheel
- Drop down door
- Straight bar handle with steel handle fixing blocks

Features
- Electronic clock timer
- Info button
- LED light
- 3 shelf positions
- Full glass inner door
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- Tank empty indicator

Programmes/functions
- 12 main functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, plate warming, keep warm
- Additional heating methods with steam: steam cooking, reheating, dough proving, defrost
- Additional functions: automatic moistening, descaling programme, cleaning programme, drying function, automatic boiling point detection
- Fast heat
- Sabbath setting

Performance/technical information
- 47 litre capacity
- Water tank 1 litre

Standard accessories
- Easy fit shelf support rails with electronic link
- 1 x wire shelf
- 1 x perforated steam tray, size XL
- 1 x perforated steam tray, size S
- 1 x unperforated steam tray, size S
- 1 x enamelled pan

Serie 8 compact steam oven
CDG634BS1

Multifunction 3D | Safety

Green Technology inside

Key features
- TFT colour and text display with direct select buttons
- SoftClose, SoftOpen door
- Auto cook programmes
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- Automatic programmes

Design
- Stainless steel control wheel
- Drop down door
- Straight bar handle with steel handle fixing blocks

Features
- Electronic clock timer
- Interior light
- 4 shelf positions
- Full glass inner door
- Control panel lock
- Automatic safety switch off
- Start button
- Door contact switch
- Tank empty indicator

Programmes/functions
- Additional heating methods with steam: steam cooking, reheating, dough proving, defrost
- Additional functions: automatic moistening, descaling programme, cleaning programme, drying function, automatic boiling point detection

Performance/technical information
- 38 litres
- Water tank 1.3 litre

Standard accessories
- 1 x perforated steam tray, size L
- 1 x unperforated steam tray, size L
- 1 x sponge

Serie 8 compact oven with microwave
CNG6764S1B

4D Hotair | Safety

Green Technology inside

Key features
- TFT colour and graphics display with direct touch function
- SoftClose, SoftOpen door
- Pyrolytic self-cleaning function
- BoschAssist
- PerfectRoast meatprobe
- PerfectBake sensor
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator

Design
- Stainless steel control wheel
- Drop down door
- Straight bar handle with steel handle fixing blocks

Features
- Electronic clock timer
- LED light
- Pyrolytic proof trayholder and baking tray
- 3 shelf positions
- Door lock during pyrolytic cleaning
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch
- Tank empty indicator

Programmes/functions
- 12 main functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, intensive heat, low temperature cooking, plate warming, dehydrate, keep warm
- Additional heating methods with microwave: microwave, combi microwave variable
- Additional heating methods with steam: reheating, dough proving
- Additional functions: automatic moistening, descaling programme, cleaning programme, drying function, automatic boiling point detection
- Fast heat
- Sabbath setting

Performance/technical information
- 45 litre capacity
- Water tank 1 litre

Standard accessories
- 1 x level telescopic shelf
- 2 x wire shelves
- 1 x enamelled pan

Available Autumn 2015.

Serie 8 compact oven with microwave
CMG656BS1B brushed steel
CMG656BB1B black

4D Hotair | Safety

Green Technology inside

Key features
- TFT colour and graphics display with direct touch function
- SoftClose, SoftOpen door
- EcoClean Direct: back, roof and side
- BoschAssist
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator

Design
- Stainless steel control wheel
- Drop down door
- Straight bar handle with steel handle fixing blocks

Features
- Electronic clock timer
- LED light
- 3 shelf positions
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch

Programmes/functions
- 12 main functions: 4D Hotair, Hotair Eco, conventional top and bottom heat, conventional heat Eco, Hotair grilling, full width variable grill, half width grill, pizza function, bottom heat, low temperature cooking, plate warming, keep warm
- Additional heating methods with microwave: microwave, combi microwave variable
- Fast heat
- Sabbath setting

Performance/technical information
- 45 litre capacity

Standard accessories
- 1 x wire shelf
- 1 x enamelled pan

Serie 8 compact oven with microwave
CMG633BS1B brushed steel

4D Hotair | Safety

Green Technology inside

Key features
- TFT colour and text display with direct select buttons
- SoftClose, SoftOpen door
- Auto cook programmes
- Digital temperature display with proposal
- Actual temperature display
- Heating-up indicator
- Automatic programmes

Design
- Stainless steel control wheel
- Drop down door
- Straight bar handle with steel handle fixing blocks

Features
- Electronic clock timer
- LED light
- 3 shelf positions
- Control panel lock
- Automatic safety switch off
- Residual heat indicator
- Start button
- Door contact switch

Programmes/functions
- 6 main functions: 4D Hotair, Hotair Eco, Hotair grilling, full width variable grill, half width grill, plate warming
- Additional heating methods with microwave: microwave, combi microwave constant
- Fast heat

Performance/technical information
- 45 litre capacity

Standard accessories
- 1 x wire shelf
- 1 x enamelled pan

Serie 8 compact coffee centre
CTL636ES1

Easy clean

Key features
- Electronic control

Feature highlights
- SilentCeram Drive: quiet premium grinder made from non-wearing ceramic
- CoffeeSensor Pro: grinding unit automatically adjusts to bean variety
- One-touch coffee milk specialities with especially fine-pored milk froth thanks to an innovative milk frother
- Milk froth, warm milk and hot water separately available
- Reduced heat-up time: fastest first cup
- Water pump with 19 bar pressure
- Separate chute for ground coffee, e.g. caffeine-free coffee
- 15.000 cup warranty: Consistently high appliance quality from the first cup to the 15,000th (valid for non-commercial use within 24 months)

Beverages
- SensoFlow System: innovative heating system with ideal, constant brewing temperature
- AromaPro Concept: Ideal contact pressure for optimal aroma extraction
- One-touch preparation: Ristretto, Espresso, Espresso Macchiato, Coffee, Cappuccino, Latte Macchiato, Caffe Latte at the touch of a button
- AromaDouble Shot: Extra-strong coffee with less bitterness thanks to two grinding and brewing processes
- Beverage temperature adjustable individually: coffee 3 levels, hot water 4 levels
- Including BRITA Intenza water filter: Reduces the lime content of water and filters substances affecting smell and taste

Hygiene
- Removable brewing unit: Easy and hygienic cleaning under running water
- AutoMilk Clean: Fully-automatic steam cleaning of the milk system after every beverage
- Milk frother removable and dishwasher-proof
- SinglePortion Cleaning: Complete emptying of all pipes after each brewing process
- Automatic rinsing program when switching off, switching on
- Drip tray and coffee grounds container removable and dishwasher-proof
- Calc'nClean: Automatic cleaning and descaling programme
- Reminds in time of water filter change, descaling, cleaning; including display of remaining cups

Convenience
- TFT display with interactive menu
- MyCoffee: save 8 favourite beverages with individual names and adjustable mixing ratio of milk and espresso
- IndividualCup Volume: Cup sizes adjustable individually
- Coffee outlet and milk frother height-adjustable: Even 15cm high Latte Macchiato glasses fit underneath
- OneTouch DoubleCup: Prepare two cups simultaneously for all coffee and milk specialities
- Water tank removable for easy refilling (2.4 l volume)
- Early warning before water tank or bean container empty
- Flexible milk solution: Connect the provided milk container or use any other container, e.g. a milk carton
- Short user manual inside appliance

Standard accessories
- Insulated milk container with FreshLock lid (0.5 l volume)
- Further included accessories: BRITA Intenza water filter, measuring spoon for ground coffee, connection hose for milk frother, test strip for water hardness, assembly screws

Optional accessories
- Cleaning tablets (TZ60001), descaling tablets (TCZ8002), BRITA Intenza water filter (TCZ7003), care set for fully-automatic espresso makers (TCZ8004), insulated milk container (TCZ8009N)

Serie 8 29cm warming drawer
BID630NS1B brushed steel

Design
- Push-pull opening mechanism

Features
- 4 functions: dough proving, defrost, hold warm, plate warming
- Easy to clean toughened glass heating plate
- Can accommodate up to:
  40 plates
  192 espresso cups
- Adjustable temperature range from 40-80°C
- Maximum weight capacity 25kg

Performance/technical information
- Drawer interior volume: 52 litres

Serie 8 14cm warming drawer
BIC630NS1B brushed steel

Design
- Push-pull opening mechanism

Features
- 4 functions: dough proving, defrost, hold warm, plate warming
- Easy to clean toughened glass heating plate
- Can accommodate up to:
  12 plates
  64 espresso cups
- Adjustable temperature range from 40-80°C
- Maximum weight capacity 25kg

Performance/technical information
- Drawer interior volume: 20 litres

Serie 8 microwave oven
BEL634GS1B brushed steel

Key features
- TFT colour and text display with direct select buttons
- Auto cook programmes
- Automatic programmes

Design
- Stainless steel control wheel
- Touch controls
- Side opening door
- Left hinged

Features
- Electronic clock timer
- LED light
- Full glass inner door

Programmes/functions
- Built-in microwave with 2 heating methods
- Variable quartz grill

Performance/technical information
- 21 litres
- Max. power: 900W; 5 microwave power settings (90W, 180W, 360W, 600W, 900W) with inverter (MW)

Standard accessories
- 1 x glass pan
- 1 x wire shelf

Serie 8 microwave oven
BFL634GS1B brushed steel
BFL634GB1B black

Key features
- TFT colour and text display with direct select buttons
- Auto cook programmes

Design
- Stainless steel control wheel
- Touch controls
- Side opening door
- Left hinged

Features
- Electronic clock timer
- LED light

Performance/technical information
- 21 litres
- Max. power: 900W; 5 microwave power settings (90W, 180W, 360W, 600W, 900W) with inverter (MW)

Serie 6 compact microwave oven with grill
HMT84G654B brushed steel

Key features
- Electronic control

Design
- 1 retractable control dial
- Push buttons
- Left hinged door
- Side opening door with viewing window

Features
- Electronic clock timer
- 1 interior light
- Stainless steel interior

Programmes/functions
- 1 main function: microwave
- 1200W quartz grill function
- 4 weight automatic defrost programmes
- 1 weight automatic combination programme
- 1 memory function

Performance/technical information
- Large 25 litre stainless steel interior
- Turntable distribution
- 315mm turntable diameter
- 5 power levels: 900W, 600W, 360W, 180W, 90W
- User-friendly electronics: extremely easy and comfortable operation
- For installation in tall housing

Serie 6 compact microwave oven with grill
HMT84M654B brushed steel
HMT84M664B black
HMT84M624B white

Key features
- Electronic control

Design
- 1 retractable control dial
- Push buttons
- Left hinged door
- Side opening door with viewing window

Features
- Electronic clock timer
- 1 interior light
- Stainless steel interior

Programmes/functions
- 1 main function: microwave
- 4 weight automatic defrost programmes
- 1 memory function

Performance/technical information
- Large 25 litre stainless steel interior
- Turntable distribution
- 315mm turntable diameter
- 5 power levels: 900W, 600W, 360W, 180W, 90W
- User-friendly electronics: extremely easy and comfortable operation
- For installation in tall housing

Serie 6 compact microwave oven with grill
HMT75G654B brushed steel

Key features
- Electronic control

Design
- 1 retractable control dial
- Push buttons
- Left hinged door
- Side opening door with viewing window

Features
- Electronic clock timer
- 1 interior light
- Stainless steel interior

Programmes/functions
- 3 main functions: microwave, quartz grill
- 1000W quartz grill function
- 4 weight automatic defrost programmes
- 1 weight automatic combination programme
- 1 memory function

Performance/technical information
- Large 20 litre stainless steel interior
- Turntable distribution
- 255mm turntable diameter
- 5 power levels: 800W, 600W, 360W, 180W, 90W
- User-friendly electronics: extremely easy and comfortable operation
- For installation into a 60cm wide wall unit (at least 30cm deep), installation in tall housing

Serie 6 compact microwave oven with grill
HMT75M654B brushed steel
HMT75M664B black
HMT75M624B white

Key features
- Electronic control

Design
- 1 retractable control dial
- Push buttons
- Left hinged door
- Side opening door with viewing window

Features
- Electronic clock timer
- 1 interior light
- Stainless steel interior

Programmes/functions
- 1 main function: microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 weight automatic combination programme
- 1 memory function

Performance/technical information
- Large 20 litre stainless steel interior
- Turntable distribution
- 255mm turntable diameter
- 5 power levels: 800W, 600W, 360W, 180W, 90W
- User-friendly electronics: extremely easy and comfortable operation
- For installation into a 60cm wide wall unit (at least 30cm deep), installation in tall housing

Serie 4 compact microwave oven
HMT75M551B brushed steel

Key features
- Electronic control

Design
- Standard control dials
- Push buttons
- Left hinged door

Features
- Electronic clock timer
- 1 retractable control dial
- 1 interior light
- Stainless steel interior

Programmes/functions
- 1 main function: microwave
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 memory function

Performance/technical information
- Oven capacity: 17 litres
- 245mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800W

Compact microwave oven
HMT84M451B brushed steel
HMT84M461B black
HMT84M421B white

Key features
– Electronic control

Design
– Push buttons
– 1 retractable control dial
– Left hinged door
– 1 interior light

Features
– LED display
– Electronic clock timer
– 99 minute timer

Programmes/functions
– 1 main function: microwave
– 3 weight automatic cooking programmes
– 4 weight automatic defrost programmes
– 1 memory function

Performance/technical information
– 25 litre capacity
– 315mm turntable diameter
– 5 microwave power levels
– Maximum microwave power level: 900W

Compact microwave oven
HMT75M451B brushed steel
HMT75M461B black
HMT75M421B white

Key features
– Electronic control

Design
– Push buttons
– 1 retractable control dial
– Left hinged door
– 1 interior light

Features
– LED display
– Electronic clock timer
– 99 minute timer

Programmes/functions
– 1 main function: microwave
– 3 weight automatic cooking programmes
– 4 weight automatic defrost programmes
– 1 memory function

Performance/technical information
– 17 litre capacity
– Can be installed under a wall cupboard
– 245mm turntable diameter
– 5 microwave power levels
– Maximum microwave power level: 800W

Compact microwave oven with grill
HMT75G451B brushed steel

Key features
- Electronic control

Design
- Push buttons
- 1 retractable control dial
- Left hinged door
- 1 interior light

Features
- LED display
- Electronic clock timer
- 99 minute timer

Programmes/functions
- 2 main functions: microwave, Quartz grill
- Microwave combination cooking
- 1 weight automatic combination programme
- 3 weight automatic cooking programmes
- 4 weight automatic defrost programmes
- 1 memory function

Performance/technical information
- 17 litre capacity
- 245mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800W
- 1000W quartz grill function

Standard accessories
- Wire grid

Compact microwave oven with grill
HMT72G450B brushed steel

Design
- Rotary control
- Left hinged door
- Interior light

Features
- 60 minute timer

Programmes/functions
- 2 main functions: microwave, Quartz grill
- Microwave combination cooking

Performance/technical information
- 17 litre capacity
- 245mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800W
- 1000W quartz grill function

Standard accessories
- Wire grid

Compact microwave oven
HMT72M450B brushed steel

Design
- Rotary control
- Left hinged door
- Interior light

Features
- 60 minute timer

Programmes/functions
- 1 main function: microwave

Performance/technical information
- 17 litre capacity
- Can be installed under a wall cupboard
- 245mm turntable diameter
- 5 microwave power levels
- Maximum microwave power level: 800W

Plug and play.

Choose a Bosch induction hob and installation is as easy as plugging in a new kettle. Able to heat food and boil water twice as fast as gas and three times faster than ceramic, induction hobs are also more energy efficient. Saving you both time and money.

FlexInduction hobs.

FlexInduction hobs feature a rectangular zone covering the length of the hob consisting of four 24cm x 9cm induction coils, now 20% larger than previous models offering more flexibility. This is great for multiple pans, large pans, or for placing pans of varying sizes anywhere on the zone.

Induction hobs.

The quickest, safest, most flexible and most efficient method of cooking with the added advantage that spillages are not burned on and can be simply wiped away.

Gas hobs.

Professional performance and control matched with stylish good looks, gas hobs are available in tempered hard glass, brushed steel or enamel base and a range of colours.

Ceramic hobs.

Electronic touch controls and power level displays make it easy for customers to stand the heat in the kitchen with these tough, practical and easy to clean hobs.

Introducing the Bosch hob range.

More control at your fingertips.
Set the correct temperature with a single touch thanks to **DirectSelect**. No more scrolling up or down, just simply press one button to select the right heat level.

Express cooking.
Induction cooking with a turbo boost. The **Boost function** allows you to increase the power of the cooking zone by 50% – perfect for large pots and pans or when you're in a hurry.

Cooking that's designed around you.
Ultimate flexibility with our new **FlexInduction** hob. At the flick of a switch, you can combine two induction zones into a large induction surface on which you can cook the way you want.

There is a wide range of gas, induction and ceramic hobs to choose from. As you would expect from Bosch, all are made using high quality materials, are easy to use and add versatility, style and elegance to any kitchen.

Serie | 8 ●●●●●

Our premium range.
Convenience and elegant design combine to give you our Serie 8 hobs, allowing you to select individual cooking zones and power levels. All controlled at just the touch of a button with the modern touch control.

Serie | 6 ●●●●○

Our essential range.
Expect excellent operation and timeless designs with the Serie 6 hobs. You'll get premium engineering and materials so that you can always cook something a little bit special. Get ultimate control with the easy to use DirectSelect touch control.

Serie | 4 ●●●○○

Our practical range.
Featuring a range of electric and gas hobs that are convenient and simple to operate, our Serie 4 hobs maintain a classic design with control knobs at the front of the appliance.

Serie | 2 ●●○○○



Our quality range.
Our Serie 2 hobs offer you classic design with easy operation. They are the optimal solution for anyone who wants a reliable appliance with good value for money.

Serie 8 5 zone ceramic FlexInduction hob
PIZ975N17E black glass with brushed steel trim

90 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 916mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 5 Induction cooking zones
- 2 x FlexInduction zones with different usage possibilities: each has 2 single Induction zones of 380cm² or 1 flexible Induction zone of 760cm²
- Central 32cm triple zone

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ390512 Teppan yaki. Approx 40 x 20cm
- HEZ390511 Teppan yaki. Approx 30 x 20cm
- HEZ390522 Griddle plate approx. 40 x 20cm
- HEZ390011 Rectangular roasting pan with lid Approx 30 x 20cm
- HEZ390012 Steamer pan insert for use with HEZ390011 Roasting pan
- HEZ394301 Connecting link for use with side trim hobs



Serie 8 5 zone ceramic FlexInduction hob
PIP875N17E black glass with brushed steel trim

80 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 816mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 5 Induction cooking zones
- 1 x FlexInduction zones with different usage possibilities: each has 2 single Induction zones of 380cm² or 1 flexible Induction zone of 760cm²

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ390512 Teppan yaki. Approx 40 x 20cm
- HEZ390511 Teppan yaki. Approx 30 x 20cm
- HEZ390522 Griddle plate approx. 40 x 20cm
- HEZ390011 Rectangular roasting pan with lid Approx 30 x 20cm
- HEZ390012 Steamer pan insert for use with HEZ390011 Roasting pan
- HEZ394301 Connecting link for use with side trim hobs

Serie 8 4 zone ceramic FlexInduction hob
PIV675N17E black glass with brushed steel trim

60 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 606mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 4 Induction cooking zones
- 1 x FlexInduction zone with different usage possibilities: 2 single Induction zones of 480cm² or 1 flexible Induction zone of 960cm²

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ390512 Teppan yaki. Approx 40 x 20cm
- HEZ390511 Teppan yaki. Approx 30 x 20cm
- HEZ390522 Griddle plate approx. 40 x 20cm
- HEZ390011 Rectangular roasting pan with lid Approx 30 x 20cm
- HEZ390012 Steamer pan insert for use with HEZ390011 Roasting pan
- HEZ394301 Connecting link for use with side trim hobs



Serie 8 4 zone ceramic FlexInduction hob
PIN675N17E black glass with brushed steel trim

60 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 606mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 4 Induction cooking zones
- 1 x FlexInduction zone with different usage possibilities: 2 single Induction zones of 480cm² or 1 FlexInduction zone of 960cm²

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ390512 Teppan yaki. Approx 40 x 20cm
- HEZ390511 Teppan yaki. Approx 30 x 20cm
- HEZ390522 Griddle plate approx. 40 x 20cm
- HEZ390011 Rectangular roasting pan with lid Approx 30 x 20cm
- HEZ390012 Steamer pan insert for use with HEZ390011 Roasting pan
- HEZ394301 Connecting link for use with side trim hobs



Serie 6 4 zone ceramic FlexInduction hob
PIN651F17E black glass with brushed steel trim

60 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 592mm
- Front controls
- Three sided bevelled frameless finish

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function
- QuickStart function
- ReStart function
- Energy consumption display

Performance/technical information
- 4 Induction cooking zones
- 1 x FlexInduction zone with different usage possibilities: 2 single Induction zones of 480cm2 or 1 FlexInduction zone of 960cm2

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ390512 Teppan yaki. Approx 40 x 20cm
- HEZ390511 Teppan yaki. Approx 30 x 20cm
- HEZ390522 Griddle plate approx. 40 x 20cm
- HEZ390011 Rectangular roasting pan with lid Approx 30 x 20cm
- HEZ390012 Steamer pan insert for use with HEZ390011 Roasting pan

Serie 8 4 zone ceramic Induction hob
PIE975N14E black glass with brushed steel trim

90 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition
- Power management function

Design
- 916mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 4 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ394301 Connecting link for use with side trim hobs



Serie 8 5 zone ceramic Induction hob
PIM875N14E black glass with brushed steel trim

80 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 816mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 5 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ394301 Connecting link for use with side trim hobs



Serie 6 5 zone ceramic Induction hob
PIM851F17E black glass with brushed steel trim

80 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 802mm
- Front controls
- Three sided bevelled frameless finish

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function
- QuickStart function
- ReStart function
- Energy consumption display

Performance/technical information
- 5 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set



Serie 6 4 zone ceramic Induction hob
PIL811F17E black glass frameless design

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 802mm
- Front controls
- Frameless design

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function
- QuickStart function
- ReStart function
- Energy consumption display

Performance/technical information
- 4 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set



Serie 8 4 zone ceramic Induction hob
PIE675N14E black glass with brushed steel trim

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 606mm
- Front controls
- Profile trim (front facette with side trim)
- Can be installed with a Bosch domino hob

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function

Performance/technical information
- 4 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ394301 Connecting link for use with side trim hobs

Serie 6 4 zone ceramic Induction hob
PIE651F17E frameless with facetted edge

60 cm | DirectSelect | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 592mm
- Front controls
- Three sided bevelled frameless finish

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function
- QuickStart function
- ReStart function
- Energy consumption display

Performance/technical information
- 4 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set



Serie 4 4 zone ceramic Induction hob
PIE611B17E black glass

60 cm | IN | Safety

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 592mm
- Front controls
- Three sided bevelled frameless finish

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- QuickStart function
- ReStart function

Performance/technical information
- 4 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set



Serie 6 4 zone ceramic Induction hob
PIA611F18E black glass

Key features
- Electronic control
- DirectSelect operation
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition

Design
- 592mm
- Front controls
- Frameless design

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- Freeze function
- QuickStart function
- ReStart function
- Energy consumption display

Performance/technical information
- 4 Induction cooking zones

Optional accessories
- HEZ390042 4 piece Induction pan set



Serie 4 4 zone ceramic Induction hob
PIA611B68B black glass

Key features
- Electronic control
- TouchControl
- Electronic power level display
- Automatic safety shut off
- Control panel lock
- Boost setting for all zones
- Automatic pan recognition
- Cable and 13A plug

Design
- 592mm
- Front controls
- Frameless design

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- Timer for all zones
- 2 stage Hh residual heat indicator for each zone
- QuickStart function
- ReStart function

Performance/technical information
- 4 Induction cooking zones

Power Management
Bosch research shows that most households generally use only one or two zones together when preparing meals, which has allowed us to develop a model that can operate with a lower power connection. The PIA611B68B has a maximum power output of 2.99kW and comes complete with cable and suitable fused UK plug for quick and easy connection to the electrical system*. The available power is sufficient for two zones to operate simultaneously at higher power levels, but if you want to use more than two zones together, no problem: the clever electronics automatically share the available power between the required zones depending on the power levels selected.

*Professional installation recommended.



Serie 4 4 zone Quick-Therm ceramic hob
PKN811D17E black glass

80 cm | Safety

Key features
- Electronic control
- TouchControl
- Electronic power level display
- Automatic safety shut off
- Control panel lock

Design
- 802mm
- Front controls
- Frameless design

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- 2 stage Hh residual heat indicator for each zone
- ReStart function

Performance/technical information
- 4 zone Quick-Therm ceramic hob
- 2 dual/extendable zones



Serie 4 4 zone Quick-Therm ceramic hob
PKE611D17E black glass

60 cm | Safety

Key features
- Electronic control
- TouchControl
- Electronic power level display
- Automatic safety shut off
- Control panel lock

Design
- 592mm
- Front controls
- Frameless design

Features
- Variable 17-stage power settings for each zone
- Main on/off switch
- 2 stage Hh residual heat indicator for each zone

Performance/technical information
- 4 zone Quick-Therm hob



Serie 2 4 zone Quick-Therm ceramic hob
PKF659C17E premium white frameless with facetted edge

60 cm | Safety

Design
- 592mm
- Side controls
- Three sided bevelled frameless finish
- Frameless design

Features
- Variable 9-stage power settings for each zone
- Residual heat indicator for each zone

Performance/technical information
- 4 zone Quick-Therm hob
- 1 dual/extendable zone



Serie 2 4 zone Quick-Therm ceramic hob
PKE611C17E black glass

60 cm | Safety

Design
- 592mm
- Side controls
- Frameless design

Features
- Variable 9-stage power settings for each zone
- Residual heat indicator for each zone

Performance/technical information
- 4 zone Quick-Therm hob

Serie 2 4 zone sealed plate electric hob
NCT615C01 brushed steel
NCT616C01 black
NCT612C01 white

60 cm

Design
- 580mm
- Side controls
- Standard control dials

Features
- Variable 9-stage power settings for each zone
- Performance/technical information
- 4 super fast sealed cooking plates



Serie 6 5 burner gas hob with wok style burner
PPS916B91E premium black with frameless design

90 cm

Key features
- 1 wok style burner
- Triple-circuit wok burner

Design
- 915mm
- Easy to use front-mounted controls
- Brushed steel controls
- Tempered hard glass base

Features
- Variable power levels
- Ignition via control dials
- Flame failure safety device
- 5 piece black cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- 1KW dual control wok burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 6 5 burner gas hob with wok style burner
PPS816M91E premium black with frameless design

80 cm

Key features
- 1 wok style burner
- Quick stop main switch

Design
- 752mm
- Front controls
- Tempered hard glass base

Features
- Variable power levels
- Easy to use front mounted controls with brushed steel caps
- Ignition via control dials
- Flame failure safety device
- 5 individual cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas
- Suitable for surface mounting or flush fitting installation

Standard accessories
- LPG jets included

Serie 6 4 burner gas hob with frameless design
PPP616M91E premium black

60 cm

Key features
- Quick stop main switch

Design
- 590mm
- Front controls
- Tempered hard glass base

Features
- Variable power levels
- Easy to use front mounted controls with brushed steel caps
- Ignition via control dials
- Flame failure safety device
- 4 individual cast iron pan supports
- 2 cast iron pan supports
- 2 piece burners

Performance/technical information
- 4 gas burners: 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas
- Suitable for surface mounting or flush fitting installation

Standard accessories
- LPG jets included

Serie 6 4 burner gas hob with wok style central burner
PCR715M90E brushed steel

70 cm

Key features
- 1 dual control wok burner
- Quick stop main switch

Design
- 702mm
- Front controls
- Brushed steel base

Features
- Variable power levels
- Easy to use front mounted brushed steel controls
- Ignition via control dials
- Flame failure safety device
- 2 cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 6 4 burner gas hob with wok style burner
PCH615M90E brushed steel

60 cm

Key features
- 1 wok style burner
- Quick stop main switch

Design
- 582mm
- Front controls
- Brushed steel base

Features
- Variable power levels
- Easy to use front mounted brushed steel controls
- Ignition via control dials
- Flame failure safety device
- 2 cast iron pan supports
- 2 piece burners

Performance/technical information
- 4 gas burners: 1 wok burner, 1 high speed burner, 1 standard burner and 1 economy burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 6 5 burner gas hob with wok style central burner
PPQ716B91E frameless

80 cm

Key features
- 1 wok style burner

Design
- 710mm
- Front controls
- Tempered hard glass base

Features
- Easy to use front-mounted controls
- Variable power levels
- Ignition via control dials
- Flame failure safety device
- 5 individual cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas
- Suitable for surface mounting or flush fitting installation

Standard accessories
- LPG jets included

Serie 6 4 burner gas hob
PPP616B91E frameless

60 cm

Design
- 590mm
- Front controls
- Tempered hard glass base

Features
- Easy to use front-mounted controls
- Variable power levels
- Ignition via control dials
- Flame failure safety device
- 4 individual cast iron pan supports
- 2 piece burners

Performance/technical information
- 4 gas burners: 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas
- Suitable for surface mounting or flush fitting installation

Standard accessories
- LPG jets included

Serie 6 5 burner gas hob with wok style burner
PCS815B90E brushed steel

80 cm

Key features
- 1 dual control wok burner

Design
- 762mm
- Front controls
- Brushed steel base

Features
- Variable power levels
- Easy to use front mounted brushed steel controls
- Ignition via control dials
- Flame failure safety device
- 3 cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 6 5 burner gas hob with wok style central burner
PCR915B91E brushed steel

90 cm

Key features
- 1 wok style burner

Design
- 915mm
- Front controls
- Brushed steel base

Features
- Variable power levels
- Easy to use front mounted brushed steel controls
- Ignition via control dials
- Flame failure safety device
- 3 cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 6 5 burner gas hob with wok style central burner
PCQ715B90E brushed steel

70 cm

Key features
- 1 wok style burner

Design
- 702mm
- Front controls
- Brushed steel base

Features
- Variable power levels
- Easy to use front mounted brushed steel controls
- Ignition via control dials
- Flame failure safety device
- 2 cast iron pan supports
- 2 piece burners

Performance/technical information
- 5 gas burners: 1 wok burner, 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 6 4 burner gas hob
PCP615B90B stainless steel
PCP616B90E black
PCP612B90E white

60 cm

Design
- 582mm
- Front controls

Features
- Easy to use front-mounted controls
- Variable power levels
- Ignition via control dials
- Flame failure safety device
- 2 cast iron pan supports
- 2 piece burners

Performance/technical information
- 4 gas burners: 1 high speed burner, 2 standard burners and 1 economy burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 2 4 burner gas hob
POP6B6B80 black

60 cm

Design
- 590mm
- Side controls

Features
- Ignition via control dials
- Flame failure safety device
- 2 enamelled pan supports
- 2 piece burners

Performance/technical information
- 4 gas burners
- Pre-set for natural gas

Standard accessories
- LPG jets included

Serie 2 4 burner gas hob
PBH6B5B60 brushed steel

60 cm

Key features
– Dual control burner

Design
– 580mm
– Side controls

Features
– Ignition via control dials
– Flame failure safety device
– 2 cast iron pan supports with rubber feet
– 2 piece burners

Performance/technical information
– 4 gas burners
– Pre-set for natural gas

Standard accessories
– LPG jets included

Serie 2 4 burner gas hob
PBP6B5B60 brushed steel
PBP6B6B60 black
PBP6B2B60 white

60 cm

Design
– 580mm
– Side controls

Features
– Ignition via control dials
– Flame failure safety device
– 2 cast iron pan supports with rubber feet
– 2 piece burners

Performance/technical information
– 4 gas burners
– Pre-set for natural gas

Standard accessories
– LPG jets included

Serie 8 wok style domino gas hob with ceramic base
PRA326B70E brushed steel trim

30 cm | All round trim

Key features
- 1 dual control wok burner

Design
- 306mm
- Front controls
- Ceramic glass base with brushed steel front trim

Features
- Dishwasher safe
- Variable power levels
- Ignition via control dials
- Flame failure safety device
- 1 cast iron pan support

Performance/technical information
- 1 gas burner: wok burner
- Pre-set for natural gas

Standard accessories
- LPG jets included
- 1 x Wok attachment ring

Optional accessories
- HEZ394301 Connecting strip

Serie 8 2 burner domino gas hob with ceramic base
PRB326B70E brushed steel trim

30 cm | All round trim

Design
- 306mm
- Front controls
- Black ceramic glass hob
- Ceramic glass base with brushed steel front trim

Features
- Dishwasher safe
- Variable power levels
- Ignition via control dials
- Flame failure safety device
- 1 cast iron pan support
- Low profile single piece burners

Performance/technical information
- 2 gas burners: 1 high speed burner, 1 standard burner
- Pre-set for natural gas

Standard accessories
- LPG jets included

Optional accessories
- HEZ394301 Connecting strip

Serie 2 2 zone ceramic Induction hob
PIE375C14E brushed steel trim

Key features
- Electronic control
- Automatic pan recognition

Design
- 306mm
- Front controls
- Metal control dials
- Can be installed with a Bosch domino hob

Features
- 2 stage residual heat indicator
- Variable 9-stage power settings for each zone
- Small utensil detection

Optional accessories
- HEZ390042 4 piece Induction pan set
- HEZ394301 Connecting strip

Serie 2 2 zone Quick-Therm ceramic hob
PKF375V14E brushed steel trim



Design
- 306mm
- Front controls
- Metal control dials
- Can be installed with a Bosch domino hob

Features
- 2 stage residual heat indicator
- 1 dual/extendable zone
- Variable 9-stage power settings for each zone

Optional accessories
- HEZ394301 Connecting strip

Outstanding performers that we don’t like making a noise about.

Quieter noise levels and more powerful, energy efficient performance. With sleek metal, smooth lines or delicate curved glass, they are the perfect combination of design and practicality. Our latest collection of cooker hoods provides our widest range yet of styles including box, chimney, angled, telescopic and integrated.

Ducted extraction.
Ducting out is the most effective method of extraction if the hood can be sited on an outside wall, or an outside wall can be reached via ducting. All our extractors are now standardised to facilitate a 150mm diameter outlet for maximum performance, although smaller ducting can be used if required. Please see our installation guide for further advice on best practise installation.

Recirculating kit.
Odours are extracted and filtered, then purified air is returned to the room.
The kit comprises a carbon filter and all components needed to ensure that odour free air is returned into the kitchen.
To maintain performance, the carbon filter should be replaced on a regular basis.
Recirculating kits need to be purchased as a separate accessory (see installation guide for relevant accessory codes).

Introducing the hood range.

Let there be light.
Energy efficient **LED lighting** can be adjusted for bright illumination to work under, or lower illumination for ambient mood lighting in the kitchen.

Energy saving. Thinking inside the box.
Our **EcoSilence Drive** brushless friction-free motor and energy saving LED lights reduce energy consumption by up to 80% compared to a similar five-year-old model, without compromising results.*



Designer looks.
The filter is concealed behind a stylish **brushed steel cover** with a brushed steel handle to hide grease build up, for a really sleek finish.

Your 'second nose' in the kitchen.
The **EcoSensor** regulates the extraction power of the cooker hood. Every few seconds it analyses the vapour intensity of the cooking and adjusts the power level automatically.

*Same power setting, same extraction rate, halogen lights.

Offering a blend of function and form, Bosch hoods deliver quiet, effective extraction that makes the kitchen and home a more pleasant environment. Either match them to the interior style with a bold design statement, or complement a more minimalist look with an integrated model.

Serie | 8 ●●●●●

Our premium range.
Advanced design standard and functionality to fit perfectly in your kitchen. Experience maximum operating convenience with DirectSelect control and as you would expect, high quality craftsmanship combined with cutting-edge technologies.

Serie | 6 ●●●●○

Our essential range.
Ultimate convenience and tasteful design make Serie 6 cooker hoods an asset to any stylish kitchen. Electronic controls give you ease of use.

Serie | 4 ●●●○○

Our practical range.
As the centre of family life, the kitchen needs to have a comfortable atmosphere free of cooking steam and disruptive noise. The Serie 4 cooker hoods are extremely quiet, easy to operate and impressive with their modern design.

Serie | 2 ●●○○○

Our quality range.
Offering you classic design with simple mechanical operation, the Serie 2 cooker hoods are the optimal solution for anyone who wants a reliable appliance with good value for money.

Serie 8 island chimney hood
DIB091K50B brushed steel

90 cm | Energy A

Key features
- Electronic control
- EcoSensor
- Filter saturation indicator

Design
- Designed for ceiling mounted installation

Features
- TouchControl with lightline
- 3 power levels and 2 intensive settings
- Automatic intensive revert (6mins)
- Rim ventilation
- 4 x LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 620 m³/h, Intensive 850 m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure), Intensive: 69dB(A) re 1pW (55dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A

Optional accessories
- DHZ5385 Recirculating kit

Serie 8 island chimney hood
DIB091U51B brushed steel

90 cm | Energy A+

Key features
- Electronic control
- Electronic power level display
- Grease and charcoal filter saturation indicators
- EcoSensor

Design
- Designed for ceiling mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control for extractor speeds and light
- 3 power levels and 2 intensive settings
- Automatic intensive revert
- LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- Additional noise reduction insulation
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max Normal use 640m³/h, Intensive 1010m³/h
- Maximum extraction rate 1010m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 61dB(A) re 1pW (47dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5365 Recirculating kit

Serie 6 island chimney hood with glass canopy
DIA098E50B brushed steel

90 cm | Energy A+

Key features
- Electronic control
- Electronic power level display
- Grease and charcoal filter saturation indicators

Design
- Designed for ceiling mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Soft touch button control for extractor speeds and light
- 4 x 20 W
- Automatic intensive revert
- Softlight dimmer function
- Fluorescent mood lighting
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 450m³/h, Intensive 800m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 59dB(A) re 1pW (45dB(A) re 20 µPa sound pressure)
- Maximum extraction rate 800m³/h (intensive)
- Extractor hose 120mm
- Energy efficiency class: A+

Optional accessories
- DHZ5365 Recirculating kit

Serie 8 chimney extractor hood with glass
DWK098G61B brushed steel

90 cm | Energy A

Key features
- Electronic control
- Interval operation

Design
- Designed for wall mounted installation
- Black glass

Features
- TouchControl with Electronic display
- 4-speed + intensive operation
- Automatic intensive revert (6mins)
- Rim ventilation
- 2 x 1W LED
- Fluorescent mood lighting
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 480m³/h,
- Intensive 850m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure), Intensive: 73 dB(A) re 1pW (59dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A

Optional accessories
- DHZ5335 Recirculating kit

Serie 8 chimney extractor hood with glass
DWK068G61B brushed steel

60 cm | Energy A

Key features
- Electronic control
- Interval operation

Design
- Designed for wall mounted installation
- Black glass

Features
- TouchControl with Electronic display
- 4-speed + intensive operation
- Automatic intensive revert (6mins)
- Rim ventilation
- 2 x 1W LED
- Fluorescent mood lighting
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 480m³/h,
- Intensive 850m³/h
- Noise level according to EN 60704-3 and EN60704-2-13 exhaust air: Max. normal use: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure), Intensive: 73dB(A) re 1pW (59dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A

Optional accessories
- DHZ5335 Recirculating kit

Serie 6 angled chimney hood
DWK098E51B brushed steel

90 cm | Energy A

Key features
- Electronic control
- Electronic power level display
- Charcoal filter saturation indicator

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control for extractor speeds and light
- 3 power levels and 2 intensive settings
- Automatic intensive revert
- LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 420m³/h, Intensive 740m³/h
- Maximum extraction rate 740m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 58dB(A) re 1pW (44dB(A) re 20 µPa sound pressure
- Energy efficiency class: A

Optional accessories
- DHZ5325 Recirculating kit

Serie 6 glass hood
DWA097E51B brushed steel

90 cm | Energy A+

Key features
- Electronic control
- Electronic power level display
- Grease and charcoal filter saturation indicators

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Soft touch button control for extractor speeds and light
- 3 power levels and 2 intensive settings
- Automatic intensive revert
- LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 440m³/h, Intensive 680m³/h
- Maximum extraction rate 680m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 59dB(A) re 1pW (45dB(A) re 20 µPa sound pressure
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 6 chimney extractor hood with glass
DWA078E50B brushed steel

70 cm | Energy A+

Key features
- Electronic control
- Electronic power level display
- Grease and charcoal filter saturation indicators

Design
- 70cm wide
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control for extractor speeds and light
- 3 power levels and 2 intensive settings
- Automatic intensive revert
- LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 440m³/h, Intensive 680m³/h
- Maximum extraction rate 680m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 60dB (A) re 1pW (46dB (A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ1225 Chimney extension 1000mm
- DHZ1235 Chimney extension 1500mm
- DHZ5325 Recirculating kit

Serie 6 glass hood
DWA067E51B brushed steel

70 cm | Energy A+

Key features
- Electronic control
- Electronic power level display
- Grease and charcoal filter saturation indicators

Design
- Designed for wall mounted installation
- Height adjustable chimney sections brushed steel with glass canopy

Features
- Soft touch button control for extractor speeds and light
- 3 power levels and 2 intensive settings
- Automatic intensive revert
- LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Maximum extraction rate 420m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 56dB(A) re 1pW (42dB(A) re 20 µPa sound pressure)
- Intensive: 69dB(A) re 1pW (55dB(A) re 20 µPa sound pressure)
- Extractor hose 150 or 120mm
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 glass hood
DWA094W51B brushed steel

90 cm | Energy D

Key features
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Rocker switch control for extractor speed and light
- 3 power levels
- 2 x 20W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 glass hood
DWA064W51B brushed steel

60 cm | Energy D

Key features
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Rocker switch control for extractor speed and light
- 3 power levels
- 2 x 20W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 glass hood
DWA094W50B brushed steel

90 cm | Energy D

Key features
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Rocker switch control for extractor speed and light
- 3 power levels
- 2 x 20W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 glass hood
DWA074W50B brushed steel

70 cm | Energy D

Key features
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Rocker switch control for extractor speed and light
- 3 power levels
- 2 x 20W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Max. blower extraction rate 470m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 glass hood
DWA064W50B brushed steel

60 cm | Energy D

Key features
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel with glass canopy

Features
- Rocker switch control for extractor speed and light
- 3 power levels
- 2 x high volt halogen spot G9 20W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Max. blower extraction rate 470m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 8 chimney extractor hood
DWB098J50B brushed steel

90 cm | Energy A+

Key features
- Electronic control via TouchControl

Design
- Designed for wall mounted installation

Features
- TouchControl with lightline
- 3 power levels and 2 intensive settings
- Automatic intensive revert (6mins)
- 3 x LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 460m³/h, Intensive 860m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 55dB(A) re 1pW (41dB(A) re 20 µPa sound pressure), Intensive: 68dB(A) re 1pW (54dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5345 Recirculating kit
- DHZ5346 Active carbon filter
- DSZ5201 CleanAir Active carbon filter
- DSZ6240 CleanAir Recirculation Kit

Serie 8 chimney extractor hood
DWB068J50B brushed steel

60 cm | Energy A+

Key features
- Electronic control via TouchControl

Design
- Designed for wall mounted installation

Features
- TouchControl with lightline
- 3 power levels and 2 intensive settings
- Automatic intensive revert (6mins)
- 2 x LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 430m³/h, Intensive 760m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 60dB(A) re 1pW (46dB(A) re 20 µPa sound pressure), Intensive: 72dB(A) re 1pW (58dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 6 box style hood
DWB098E51B brushed steel

90 cm | Energy A+

Key features
- Electronic control
- Electronic power level display
- Grease and charcoal filter saturation indicators

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control for extractor speeds and light
- 3 power levels and 2 intensive settings
- Automatic intensive revert
- LED lights
- Softlight dimmer function
- Fluorescent mood lighting
- Additional noise reduction insulation
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 460m³/h, Intensive 860m³/h
- Maximum extraction rate 860m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 55dB(A) re 1pW (41dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5345 Recirculating kit

Serie 4 box style hood
DWB097A50B brushed steel

90 cm | Energy A+

Key features
- Electronic control
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control, Illuminated buttons
- 3 power levels and intensive setting
- Automatic intensive revert
- LED lights
- Additional noise reduction insulation
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 460m³/h, Intensive 730m³/h
- Maximum extraction rate 730 m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 54dB(A) re 1pW (40dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 4 box style hood
DWB067A50B brushed steel

60 cm | Energy A+

Key features
- Electronic control

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control, Illuminated buttons
- 3 power levels and intensive setting
- Automatic intensive revert
- LED lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 1 5cm: max. Normal use 440 m³/h, Intensive 690 m³/h
- Maximum extraction rate 690 m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 58dB(A) re 1pW (44dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 chimney extractor hood
DWB09W452B brushed steel

90 cm | Energy D

Key features
- Electronic control

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel canopy and chimney section

Features
- Rocker switch control for extractor speeds and light
- 3 power levels
- 2 x high volt halogen spot G9 20W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Max. blower extraction rate 470m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 chimney extractor hood
DWB06W452B brushed steel

60 cm | Energy D

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control for extractor speeds and light
- 3 power levels
- 2 x 28W
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting:
- Extraction rate: 63dB(A) re 1pW (49dB(A) re 20 2Pa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 box style hood
DWB094W50B brushed steel

90 cm | Energy D

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control for extractor speeds and light
- 3 power levels
- 2 x 20W lights
- Additional noise reduction insulation
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 58dB(A) re 1pW (44dB(A) re 20 lJPa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: D

Optional accessories
- DHZ5345 Recirculating kit

Serie 2 box style hood
DWB074W50B brushed steel

70 cm | Energy D

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control for extractor speeds and light
- 3 power levels
- 2 x 20W lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 box style hood
DWB064W50B brushed steel

60 cm | Energy D

Key features
- Electronic power level display
- Charcoal filter saturation indicator

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control for extractor speeds and light
- 3 power levels
- 2 x halogen lights
- Removable metal grease filters
- Filter cover stainless steel, perforated and dishwasher safe
- Removable multi-zone extraction filter box
- 2 removable metal grease filter cassettes
- Removable metal grease filters
- For recirculated extraction recirculating kit or CleanAir recirculating kit (accessory) needed
- 3 power levels via

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according t o EN 60704-3 a n d EN 60704-2-13 at maximum normal setting: extraction rate: 62dB(A) re 1pW (48dB(A) re 20 µPa sound pressure)
- Twin channel high performance fan motor
- Extractor hose 120mm
- Power rating: 170W
- Dimensions recirculating with CleanAir module (HxWxD): 689 x 600 x 500mm – mounting with outer chimney 809-1139 x 600 x 500mm – mounting with telescopic chimney
- Energy efficiency class: D

Optional accessories
- DHZ5325 Recirculating kit

Serie 4 box style hood
DWW097A50B brushed steel

90 cm | Energy A+

Key features
- Electronic control
- Electronic power level display

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control, Illuminated buttons
- 3 power levels & intensive setting
- Automatic intensive revert
- LED lights
- Additional noise reduction insulation
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 460m³/h, Intensive 730m³/h
- Maximum extraction rate 730m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 54dB(A) re 1pW (40dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5345 Recirculating kit

Serie 4 chimney extractor hood
DWW077A50B brushed steel

70 cm | Energy A+

Key features
- Electronic control

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control, Illuminated buttons
- 3 power levels & intensive setting
- Automatic intensive revert
- LED lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 440m³/h, Intensive 690m³/h
- Maximum extraction rate 690m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 58dB(A) re 1pW (44dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 4 chimney extractor hood
DWW067A50B brushed steel

60 cm | Energy A+

Key features
- Electronic control

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Soft touch button control, Illuminated buttons
- 3 power levels & intensive setting
- Automatic intensive revert
- LED lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 440m³/h, Intensive 690m³/h
- Maximum extraction rate 690m³/h (intensive)
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 58dB(A) re 1pW (44dB(A) re 20 µPa sound pressure)
- Energy efficiency class: A+

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 pyramid chimney hood
DWW09W460B black

90 cm | Energy E

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control
- 3 power levels
- 2 x 40W lights
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 65dB(A) re 1pW (51dB(A) re 20 1Pa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: E

Optional accessories
- DHZ5325 Recirculating kit

Serie 2 pyramid chimney hood
DWW09W450B brushed steel

90 cm | Energy E

Design
- Designed for wall mounted installation
- Height adjustable chimney sections
- Brushed steel canopy and chimney section

Features
- Rocker switch control
- 3 power levels
- 2 x 40W lights
- 3 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 65dB(A) re 1pW (51dB(A) re 20 lJPa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: E

Optional accessories
- DHZ5275 Recirculating kit

Serie 2 pyramid chimney hood
DWW07W450B brushed steel

70 cm | Energy D

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control
- 3 power levels
- 2 x 28W lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 65dB(A) re 1pW (51dB(A) re 20 1Pa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: D

Optional accessories
- DHZ5275 Recirculating kit

Serie 2 pyramid chimney hood
DWW06W450B brushed steel

60 cm | Energy D

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control
- 3 power levels
- 2 x 28W lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 65dB(A) re 1pW (51dB(A) re 20 1Pa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: D

Optional accessories
- DHZ1224 Chimney extension 500mm
- DHZ1234 Chimney extension 750mm
- DHZ5275 Recirculating kit
- DHZ6551 Brushed steel back panel

Serie 2 pyramid chimney hood
DWW06W460B black

60 cm | Energy D

Design
- Designed for wall mounted installation
- Height adjustable chimney sections

Features
- Rocker switch control
- 3 power levels
- 2 x 28W lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 65dB(A) re 1pW (51dB(A) re 20 1Pa sound pressure)
- Extractor hose 150mm
- Energy efficiency class: D

Optional accessories
- DHZ5275 Recirculating kit

Serie 4 Telescopic hood
DHI635HGB silver metallic lacquer

60 cm | Energy D

Features
- Rocker switch control
- 3 power levels
- 2 x 40W bulbs
- Double filter system
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591: max. 400m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 64dB(A) re 1pW (52dB(A) re 20 lJPa sound pressure)
- Energy efficiency class: D

Optional accessories
- Recirculating kit DHZ3405
- Front profile DHZ4650

Serie 2 Integrated extractor hood
DHE645MGB silver metallic lacquer

60 cm | Energy E

Design
- For installation between cupboards

Features
- Rocker switch control
- 3 power levels
- 2 x 40W bulbs
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591: max. 360m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 64dB(A) re 1pW (52dB(A) re 20 lJPa sound pressure)
- Energy efficiency class: E

Optional accessories
- Charcoal odour filter DSZ11AF

Serie 2 Integrated extractor hood
DHE635BGB silver metallic lacquer

60 cm | Energy D

Design
- For installation between cupboards

Features
- Rocker switch control
- 3 power levels
- 1 x 40W bulbs
- Paper grease filter

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591: max. 280m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 66dB(A) re 1pW (54dB(A) re 20 lJPa sound pressure)
- Energy efficiency class: D

Optional accessories
- Charcoal odour filter DSZ11AF

Serie 6 canopy extractor hood
DHL785CGB

60 cm | Energy C

Design
- For installation in a kitchen cabinet

Features
- Soft touch button control with Electronic display
- 3 power levels & intensive setting
- Automatic intensive revert (6mins)
- Rim ventilation
- 2 x 1W LED
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 630m³/h, Intensive 730m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 66dB(A) re 1pW (52dB(A) re 20 µPa sound pressure), Intensive: 69dB(A) re 1pW (55dB(A) re 20 µPa sound pressure)
- Energy efficiency class: C

Optional accessories
- DHZ5605 Recirculating kit

Serie 6 canopy extractor hood
DHL575CGB brushed steel

50 cm | Energy C

Key features
- Electronic control via Soft touch button control

Design
- For installation in a kitchen cabinet

Features
- Soft touch button control with Electronic display
- 3 power levels & intensive setting
- Rim ventilation
- 2 x 1W LED
- 1 removable metal grease filter cassette

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: max. Normal use 560m³/h, Intensive 610m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 67dB(A) re 1pW (53dB(A) re 20 µPa sound pressure), Intensive: 70dB(A) re 1pW (56dB(A) re 20 µPa sound pressure)
- Energy efficiency class: C

Optional accessories
- DHZ5605 Recirculating kit

Serie 4 canopy hood
DHL555BGB silver metallic lacquer

60 cm | Energy D

Design
- For installation under an overhead canopy kitchen unit

Features
- 3 power levels and intensive setting
- 2 x 20W low energy halogen lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Extraction rate according to EN 61591 ø 15cm: Max. normal use 420m³/h, Intensive 650m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: Max. normal use: 59dB(A) re 1pW (45dB(A) re 20 µPa sound pressure), Intensive: 69dB(A) re 1pW (55dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ7305 Charcoal filter for recirculation operation

Serie 2 canopy hood
DHL535BGB silver metallic lacquer

60 cm | Energy E

Design
- For installation under an overhead canopy kitchen unit

Features
- Rocker switch control
- 2 power levels and intensive setting
- 2 x 40W bulbs
- Paper grease filter

Performance/technical information
- Suitable for ducted or recirculating operation
- Maximum extraction 280m³/h
- Noise level according to EN 60704-3 and EN 60704-2-13 exhaust air: max. normal use: 60dB(A) re 1pW (48dB(A) re 20 1Pa sound pressure), Intensive: 66dB(A) re 1pW (54dB(A) re 20 1Pa sound pressure)
- Energy efficiency class: E

Optional accessories
- Charcoal odour filter DHZ7304
- Paper grease filter DHZ2100

Serie 2 built-under conventional hood
DHU626MGB brushed steel

60 cm | Energy D

Design
- Designed for wall mounted installation or suspended beneath a reduced height wall cupboard

Features
- 3 power levels
- 2 x 20W low energy halogen lights
- 2 removable metal grease filter cassettes

Performance/technical information
- Suitable for ducted or recirculating operation
- Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 68dB(A) re 1pW (54dB(A) re 20 µPa sound pressure)
- Energy efficiency class: D

Optional accessories
- DHZ2400 Active carbon filter

Serie 2 canopy extractor hood
DHU645PGB brushed steel
DHU646PGB black
DHU642PGB white

60 cm | Energy E

Design

– Designed for wall mounted installation or suspended beneath a reduced height wall cupboard

Features

– 3 power levels
– 1 x halogen lights
– 1 removable metal grease filter cassette

Performance/technical information

– Suitable for ducted or recirculating operation
– Noise level according to EN 60704-3 and EN 60704-2-13 at maximum normal setting: extraction rate: 71dB(A) re 1pW (57dB(A) re 20 µPa sound pressure)
– Energy efficiency class: E

Optional accessories

– DHZ2701 Active carbon filter

BOSCH

Save more. Waste less.

Our refrigeration products are packed full of good ideas from energy saving to keeping food fresh. Our food preservation technologies can help reduce the £680 worth of food it is estimated the average family with children throw out each year*. Being amongst the most energy-efficient performers in the industry means they save money on electricity bills too.

American-style fridge freezers.
American-style fridge freezers not only cope with the demands of large families and busy households, but make a bold design statement too.

Fridges.
Innovative storage compartments, drawers and the SuperCool function help keep food fresher for longer.

Freezers.
Variable drawer sizes, SuperFreeze and NoFrost technology that make it simpler to store and access food, as well as maintain the appliance.

Fridge freezers.
Highly efficient, upright combination fridge freezers packed full of clever storage ideas and innovative technology making them simpler to maintain and keep organised.

*Source: Love Food, Hate Waste estimate that the average household throws out £480 of food and drink each year, rising to £680 for families with children.

Introducing the refrigeration range.

Another job off the list.
Never worry about having to defrost the freezer again. The **NoFrost** system prevents the build up of ice by automatically initiating the defrost operation as required. This also helps to maintain the appliance's energy efficiency.

Fresher for up to twice as long.
The **HydroFresh™** drawer allows you to adjust and set exactly the right humidity level for the fruit and vegetables you have, so they stay fresher for up to twice as long.

Extra safe storage at the touch of a button.
Activating the **SuperFreeze** function before you go shopping lowers the temperature for a short period, so anything new put in the freezer is frozen quickly.

Quietly does it.
As there could be many small, and larger hands opening and shutting the fridge door, it's nice to know that we've integrated **SoftClosing** doors in many models.

Save more, waste less. Our new range of fridge freezers save you money thanks to their energy efficiency ratings. They are also packed with innovative technology to keep your food fresher for longer, so you'll throw out less and save on your weekly shopping bill too.

Serie | 8 ●●●●●

Our premium range.
Cutting-edge design meets advanced technologies. All Serie 8 models are packed with energy efficient and labour saving features that save valuable time, effort and money – perfect for modern, busy households.

Serie | 6 ●●●●○

Our essential range.
The Serie 6 range combines energy efficient performance with convenient storage and superior food preservation.

Serie | 4 ●●●○○

Our practical range.
Models that combine practical features and Bosch build quality.

Serie | 2 ●●○○○

Our quality range.
Built to keep electricity costs down. With energy efficiency an increasing priority in homes, the Serie 2 refrigeration range is just as efficient as it is value for money.

Serie 6 built-in fridge-freezer

KIN86AD30G

Energy A++ | NoFrost | HydroFresh | 39 dB | SoftClosing Door

Green Technology inside

Performance and consumption

- Energy efficiency class: A++
- Annual energy consumption: 221kWh (per year)
- Total net capacity: 255 litres
- Net fridge capacity: 188 litres
- Net freezer capacity: 67 litres
- Noise level dB(A) re 1pW: 39

Design features

- Flush-folding flat hinge, SoftClosing door – dampens door movement, for smooth and effortless closure
- Right hinged door, door reversible
- Electronic control for fridge and freezer with LED display
- Removable magnetic door seals – easy to clean

Food freshness system

- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- Freshsense – constant temperature by intelligent sensor technology
- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features (fridge section)

- Automatic defrost fridge
- Bright interior LED fridge light
- 5 removable safety glass shelves in fridge compartment of which 4 are easy pull-out
- SuperCool function with automatic deactivation

Key features (freezer section)

- NoFrost freezer
- Automatic defrost freezer
- 4 star freezer rating
- 3 freezer drawers
- Freezing capacity in 24 hours: 8kg
- Maximum freezer storage time in power failure: 13 hours

Functions

- Freezer malfunction warning signal: optical and acoustical
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning signal

Dimensions and installation

- Connection value 90W
- Dimensions (H x W x D): 177.2 x 55.8 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56 x 55cm
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories

- 2 x cold accumulator
- 2 x egg tray
- 1 x ice cube tray

Serie 6 built-in fridge-freezer
KIN85AF30G

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption: 232kWh (per year)
- Total net capacity: 246 litres
- Net fridge capacity: 154 litres
- Net freezer capacity: 92 litres
- Noise level dB(A) re 1pW: 39

Design features
- Automatic defrost freezer
- Flush-folding flat hinge
- Right hinged door, door reversible
- Electronic control for fridge and freezer with LED display
- Removable magnetic door seals – easy to clean

Food freshness system
- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- Freshsense – constant temperature by intelligent sensor technology
- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features (fridge section)
- Automatic defrost fridge
- Bright interior LED fridge light
- 4 removable safety glass shelves in fridge compartment of which 3 are easy pull-out SuperCool function with automatic deactivation

Key features (freezer section)
- NoFrost freezer
- Automatic defrost freezer
- 4 star freezer rating
- 4 freezer drawers
- Freezing capacity in 24 hours: 9kg
- Maximum freezer storage time in power failure: 13 hours

Functions
- Freezer malfunction warning signal: optical and acoustical
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning signal

Dimensions and installation
- Connection value 90W
- Dimensions (H x W x D): 177.2 x 55.8 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56 x 55cm
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 2 x cold accumulator
- 2 x egg tray
- 1 x ice cube tray

Serie 6 built-in fridge-freezer
KIS87AF30G

Energy A++ | LowFrost | HydroFresh | 36 dB

Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption: 225kWh (per year)
- Total net capacity: 270 litres
- Net fridge capacity: 209 litres
- Net freezer capacity: 61 litres
- Noise level dB(A) re 1pW: 36

Design features
- Flush-folding flat hinge
- Right hinged door, door reversible
- Electronic control for fridge and freezer with LED display
- Removable magnetic door seals – easy to clean

Food freshness system
- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- Freshsense – constant temperature by intelligent sensor technology
- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features (fridge section)
- Automatic defrost fridge
- Bright interior LED fridge light
- 5 removable safety glass shelves in fridge compartment of which 4 are easy pull-out
- SuperCool function with automatic deactivation

Key features (freezer section)
- Low frost
- Manual defrost freezer
- 4 star freezer rating
- 2 freezer drawers
- Freezing capacity in 24 hours: 7kg
- Maximum freezer storage time in power failure: 26 hours

Functions
- Freezer malfunction warning signal: optical and acoustical
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning signal

Dimensions and installation
- Connection value 90W
- Dimensions (H x W x D): 177.2 x 55.8 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56 x 55cm
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)

Included accessories
- 2 x cold accumulator
- 2 x egg tray
- 1 x ice cube tray

Serie 6 built-in fridge-freezer
KIS86AF30G

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption: 218kWh (per year)
- Total net capacity: 265 litres
- Net fridge capacity: 195 litres
- Net freezer capacity: 74 litres
- Noise level dB(A) re 1pW: 36

Design features
- Flush-folding flat hinge
- Right hinged door, door reversible
- Electronic control for fridge and freezer with LED display
- Removable magnetic door seals – easy to clean

Food freshness system
- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- Freshsense – constant temperature by intelligent sensor technology
- Electronic control for fridge and freezer with LED display
- Two separate cooling circuits allow independent temperature control and prevents the transference of humidity between the fridge and freezer cavity

Key features (fridge section)
- Automatic defrost fridge
- Bright interior LED fridge light
- 5 removable safety glass shelves in fridge compartment of which 4 are easy pull-out
- SuperCool function with automatic deactivation

Key features (freezer section)
- Low frost
- Manual defrost freezer
- 4 star freezer rating
- 3 freezer drawers
- Freezing capacity in 24 hours: 7kg
- Maximum freezer storage time in power failure: 32 hours

Functions
- Freezer malfunction warning signal: optical and acoustical
- SuperFreezing function with automatic deactivation
- Optical and acoustical door open warning signal

Dimensions and installation
- Connection value 90W
- Dimensions (H x W x D): 177.2 x 55.8 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56 x 55cm
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 2 x cold accumulator
- 2 x egg tray
- 1 x ice cube tray

Serie 4 built-in fridge-freezer
KIN86VF30G

Energy A++ | NoFrost | 39 dB

Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 222 kWh (per year)
- Total net capacity: 255 litres
- Net fridge capacity: 188 litres
- Net freezer capacity: 67 litres
- Noise level dB(A) re 1pW: 39

Design features
- Bright interior LED fridge light
- Right hinged door, door reversible

Food freshness system
- Freshsense constant temperature by intelligent sensor technology constant temperature by intelligent sensor technology
- 1 vegetable/salad container with rippled base for improved air circulation
- 1 compressor

Key features (fridge section)
- 4 door bins
- Flat hinge
- Interior design with metal applications

Key features (freezer section)
- NoFrost freezer, never have to defrost ever again
- 3 transparent freezer drawers, 1 BigBox
- Freezing capacity in 24 hours: 8 kg
- Maximum freezer storage time in power failure: 13 hours
- Calendar frozen food

Functions
- SuperFreezing function with automatic deactivation

Dimensions and installation
- Connection value 90W
- Dimensions: 177.2cm H x 53.8cm W x 54.2cm D
- Niche dimensions: 177.5cm H x 56cm W x 55cm D
- Climate class SN-T (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 2 x cold accumulator
- 2 x egg tray
- 1 x ice cube tray

Serie 4 built-in fridge-freezer
KIV38A51GB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 275kWh (per year)
- Total net capacity: 277 litres
- Net fridge capacity: 218 litres
- Net freezer capacity: 58 litres
- Noise level dB(A) re 1pW: 40

Design features
- Flush-folding flat hinge
- Right hinged door, door reversible
- LED electronic control
- Removable magnetic door seals – easy to clean

Food freshness system
- 1 vegetable/salad container, pull-out fridge tray with rippled base for improved air circulation
- 1 compressor

Key features (fridge section)
- Automatic defrost fridge
- Interior fridge light (1 x 25W)
- 5 removable safety glass shelves in fridge compartment of which 4 are easy pull-out

Key features (freezer section)
- Manual defrost freezer
- SuperFreezing function with automatic deactivation
- 3 freezer drawers
- 4 star freezer rating
- Calendar frozen food
- Freezing capacity in 24 hours: 6kg
- Maximum freezer storage time in power failure: 22 hours

Dimensions and installation
- Connection value 90W
- Dimensions (H x W x D): 177.2 x 54.1 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56.2 x 55cm
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 2 x cold accumulator
- 1 x butter dish
- 2 x egg tray
- 1 x ice cube tray

This model will be discontinued in August 2015 and replaced with **KIV87VF30G**.

Serie 4 built-in fridge-freezer
KIV32A50GB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 283kWh (per year)
- Total net capacity: 257 litres
- Net fridge capacity: 165 litres
- Net freezer capacity: 92 litres
- Noise level dB(A) re 1pW: 40

Design features
- Flush-folding flat hinge
- Right hinged door, door reversible
- LED electronic control
- Removable magnetic door seals – easy to clean

Food freshness system
- 1 vegetable/salad container, pull-out fridge tray with rippled base for improved air circulation
- 1 compressor

Key features (fridge section)
- Automatic defrost fridge
- Interior fridge light (1 x 25W)
- 4 removable safety glass shelves in fridge compartment of which 3 are easy pull-out

Key features (freezer section)
- Manual defrost freezer
- SuperFreezing function with automatic deactivation
- 4 freezer drawers
- 4 star freezer rating
- Calendar frozen food
- Freezing capacity in 24 hours: 6kg
- Maximum freezer storage time in power failure: 24 hours

Dimensions and installation
- Connection value 120W
- Dimensions (H x W x D): 177.2 x 54.1 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56.2 x 55cm
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 2 x cold accumulator
- 1 x butter dish
- 2 x egg tray
- 1 x ice cube tray

This model will be discontinued in August 2015 and replaced with **KIV85VF30G**.

Serie 2 built-in fridge-freezer
KIV32X22GB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 283kWh (per year)
- Total net capacity: 255 litres
- Net fridge capacity: 162 litres
- Net freezer capacity: 93 litres
- Noise level dB(A) re 1pW: 40

Design features
- Sliding hinge
- Right hinged door, door reversible
- LED electronic control
- Removable magnetic door seals – easy to clean

Food freshness system
- 1 vegetable/salad container with rippled base for improved air circulation
- LED electronic control
- 1 compressor

Key features (fridge section)
- Automatic defrost fridge
- 3 removable safety glass shelves in fridge compartment of which 2 are easy pull-out

Key features (freezer section)
- Manual defrost freezer
- 4 star freezer rating
- 4 freezer drawers
- Freezing capacity in 24 hours: 6kg
- Maximum freezer storage time in power failure: 16 hours

Dimensions and installation
- Connection value 120W
- Dimensions (H x W x D): 177.2 x 54.1 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56.2 x 55cm
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 1 x butter dish

This model will be discontinued in August 2015 and replaced with **KIV85VS30G**.

Best Buy Which? Fridge Freezers March 2014

Serie 2 built-in fridge-freezer
KIV38X22GB

Energy A+ | 40 dB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 275kWh (per year)
- Total net capacity: 277 litres
- Net fridge capacity: 217 litres
- Net freezer capacity: 59 litres
- Noise level dB(A) re 1pW: 40

Design features
- Sliding hinge
- Right hinged door, door reversible
- LED electronic control
- Removable magnetic door seals – easy to clean

Food freshness system
- 1 vegetable/salad container with rippled base for improved air circulation
- LED electronic control
- 1 compressor

Key features (fridge section)
- Automatic defrost fridge
- 5 removable safety glass shelves in fridge compartment of which 4 are easy pull-out

Key features (freezer section)
- Manual defrost freezer
- 4 star freezer rating
- 3 freezer drawers
- Freezing capacity in 24 hours: 6kg
- Maximum freezer storage time in power failure: 13 hours

Dimensions and installation
- Connection value 90W
- Dimensions (H x W x D): 177.2 x 54.1 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56.2 x 55c
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)

Included accessories
- 1 x butter dish

Serie 8 built-in tall freezer
GIN38A55GB fully integrated

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 310kWh (per year)
- Total net capacity: 212 litres
- Noise level dB(A) re 1pW: 40

Design features
- Door left hinged, door reversible
- SoftClosing door dampens door movement, for smooth and effortless closure
- LED Electronic control
- Bright interior LED freezer light

Food freshness system
- Automatic defrost freezer
- 4 star freezer rating
- 5 freezer drawers
- SuperFreezing function with automatic deactivation
- 1 compressor/1 cooling circuit
- SuperFreezing function with automatic deactivation
- Freezing capacity in 24 hours: 25kg
- Maximum freezer storage time in power failure: 11 hours

Key features
- Optical and acoustical door open warning signal
- Freezer malfunction warning signal: optical and acoustical

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 10 and 43°C)
- Connection value 120W
- Dimensions (H x W x D): 177.2 x 55.6 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56 x 55cm

Serie 6 built-in fridge
KIR81AF30G fully integrated

Energy A++ | 37 dB | HydroFresh

Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 116kWh (per year)
- Total net capacity: 319 litres
- Net fridge capacity: 319 litres
- Noise level dB(A) re 1pW: 37

Design features
- Right hinged, door reversible
- Flat hinge
- Bright interior LED fridge light
- Electronic LED display
- 1 compressor

Food freshness system
- Freshsense – constant temperature by intelligent sensor technology
- HydroFresh -– humidity controlled vegetable/salad container on telescopic rails for prolonged storage – keeps fruit and vegetables fresh for twice as long

Key features
- 7 removable safety glass shelves of which 6 are easy pull-out, Non-adjustable bottom shelf, 2 glass plates extendible
- Easy access shelf – easy access and everything in sight
- Vario shelf – useful storage when required
- 6 door trays, including 1x dairy compartment
- Interior design with metal applications
- Pull-out vegetable container, HydroFresh – humidity controlled vegetable/ salad container on telescopic rails for prolonged storage with rippled base for improved air circulation
- 2 removable door storage compartments.
- Bright interior LED fridge light
- Active Cooling - quick and even temperature distribution on all shelf levels (interior fridge fan)
- Metal bottle rack

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 9 0 W
- Dimensions (H x W x D): 177.2 x 55.8 x 54.5cm
- Niche dimensions (H x W x D): 177.5 x 56 x 55cm

Included accessories
- 2 x egg tray

Serie 6 built-in fridge with ice box
KIL82AF30G fully integrated

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 209kWh (per year)
- Total net capacity: 286 litres
- Net fridge capacity: 252 litres
- Noise level dB(A) re 1pW: 36

Design features
- Right hinged, door reversible
- Flat hinge
- Bright interior LED fridge light
- Electronic LED display
- 1 compressor

Food freshness system
- Freshsense – constant temperature by intelligent sensor technology
- HydroFresh – humidity controlled vegetable/salad container on telescopic rails for prolonged storage – keeps fruit and vegetables fresh for twice as long

Key features (fridge section)
- 5 removable safety glass shelves of which 4 are easy pull-out, Non-adjustable bottom shelf, Extendable glass shelf
- 6 door trays, including 1 x dairy compartment
- Interior design with metal applications
- Pull-out vegetable container, HydroFresh – humidity controlled vegetable/ salad container on telescopic rails for prolonged storage with rippled base for improved air circulation
- 2 removable door storage compartments
- Bright interior LED fridge light

Key features (freezer section)
- Manual defrost freezer
- 1 hinged freezer compartment
- 4 star freezer rating
- **** freezer 34 l (-18°C and below)
- Freezing capacity in 24 hours: 3kg
- Maximum freezer storage time in power failure: 22 hours

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions: (H x W x D): 177.2 x 55.8 x 54.5cm
- Niche Dimensions: (H x W x D): 177.5 x 56 x 55cm

Included accessories
- 2 x egg tray
- 1 x ice cube tray

Serie 6 built-in fridge
KIR41AD30G fully integrated

Energy A++ | 33 dB | HydroFresh | SoftClose Door

Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 105kWh (per year)
- Total net capacity: 211 litres
- Net fridge capacity: 211 litres
- Noise level dB(A) re 1pW: 33

Design features
- SoftClosing door dampens door movement, for smooth and effortless closure
- Right hinged door, door reversible
- Flat hinge
- Bright interior LED fridge light
- Electronic LED display
- 1 compressor

Food freshness system
- Freshsense constant temperature by intelligent sensor technology – constant temperature by intelligent sensor technology
- Hydrofresh drawer with humidity control to prevent food from drying out keeps fruit and vegetables fresh for twice as long

Key features
- 6 removable safety glass shelves of which 5 are easy pull out
- Easy access shelf easy access and everything in sight
- 4 door trays, including 1x dairy compartment
- Interior design with metal applications
- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- 1 removable door storage compartments
- Bright interior LED fridge light

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 1 to 43°C)
- Connection value 90W
- Dimensions: 122.1cm H x 55.8cm W x 54.5cm D
- Niche dimensions: 122.5cm H x 56cm W x 55cm D

Included accessories
- 2 x egg tray

Serie 6 built-in fridge
KIR41AF30G fully integrated

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 105kWh (per year)
- Total net capacity: 211 litres
- Net fridge capacity: 211 litres
- Noise level dB(A) re 1pW: 33

Design features
- Right hinged, door reversible
- Flat hinge
- Bright interior LED fridge light
- Electronic LED display
- 1 compressor

Food freshness system
- Freshsense – constant temperature by intelligent sensor technology
- Hydrofresh drawer with humidity control to prevent food from drying out – keeps fruit and vegetables fresh for twice as long

Key features
- 6 removable safety glass shelves of which 5 are easy pull-out, Non-adjustable bottom shelf, Extendable glass shelf
- 5 door trays, including 1 x dairy compartment
- Interior design with metal applications
- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- 1 removable door storage compartment
- Bright interior LED fridge light

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90W
- Dimensions: (H x W x D): 122.1 x 55.8 x 54.5cm
- Niche Dimensions: (H x W x D): 122.5 x 56 x 55cm

Included accessories
- 2 x egg tray

Serie 4 built-in fridge
KIL42VS30G fully integrated

Energy A++ | 38 dB | Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 172kWh (per year)
- Total net capacity: 195 litres
- Net fridge capacity: 180 litres
- Noise level dB(A) re 1pW: 38

Design features
- Right hinged door, door reversible
- Sliding hinge
- Bright interior LED fridge light
- LED electronic control
- 1 compressor

Food freshness system
- Freshsense constant temperature by intelligent sensor technology – constant temperature by intelligent sensor technology
- 1 vegetable/salad container keeps fruit and vegetables fresh for twice as long

Key features (fridge section)
- 5 removable safety glass shelves of which 4 are easy pull out
- 1 vegetable/salad container with rippled base for improved air circulation
- 1 removable door storage compartments
- Bright interior LED fridge light

Key features (freezer section)
- Manual defrost freezer
- 1 hinged freezer compartment
- 4 star freezer rating
- **** freezer 15 l (-18°C and below)
- Freezing capacity in 24 hours: 2.4kg
- Maximum freezer storage time in power failure: 13 hours

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions: 122.1cm H x 53.8cm W x 54.5cm D
- Niche dimensions: 122.5cm H x 56cm W x 55cm D

Included accessories
- 2 x egg tray
- 1 x ice cube tray

Serie 4 built-in fridge
KIR41VS30G fully integrated

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 105kWh (per year)
- Total net capacity: 211 litres
- Net fridge capacity: 211 litres
- Noise level dB(A) re 1pW: 37

Design features
- Right hinged door, door reversible
- Sliding hinge
- Bright interior LED fridge light
- LED electronic control
- 1 compressor

Food freshness system
- Freshsense – constant temperature by intelligent sensor technology – constant temperature by intelligent sensor technology

Key features
- 6 removable safety glass shelves of which 5 are easy pull out
- Easy access shelf – easy access and everything in sight
- 1 vegetable/salad container with rippled base for improved air circulation
- 1 removable door storage compartments.
- Bright interior LED fridge light

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90W
- Dimensions: 122.1cm H x 53.8cm W x 54.5cm D
- Niche dimensions: 122.5cm H x 56cm W x 55cm D

Included accessories
- 2 x egg tray

Serie 4 built-in fridge
KIR31VS30G fully integrated

Energy A++ | 36 dB | Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 100kWh (per year)
- Total net capacity: 172 litres
- Net fridge capacity: 172 litres
- Noise level dB(A) re 1pW: 36

Design features
- Right hinged door, door reversible
- Height adjustable front feet

Food freshness system
- Freshsense - constant temperature by intelligent sensor technology – constant temperature by intelligent sensor technology
- 1 vegetable/salad container with rippled base for improved air circulation

Key features
- 4 safety glass shelves in fridge compartment of which 3 are height adjustable
- Low frost
- Automatic defrost fridge
- 1 compressor
- Bright interior LED fridge light
- Removable magnetic door seals - easy to clean
- LED electronic control
- Interior design with metal applications

Functions
- SuperCool function with automatic deactivation

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90W
- Dimensions: 102.1cm H x 53.8cm W x 54.2cm D
- Niche dimensions: 102.5cm H x 56cm W x 55cm D

Included accessories
- 2 x egg tray

Serie 2 built-in fridge
KIR24V20GB fully integrated

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 131kWh (per year)
- Total net capacity: 221 litres
- Net fridge capacity: 221 litres
- Noise level dB(A) re 1pW: 34

Design features
- Right hinged door, door reversible
- Sliding hinge
- Mechanical control
- Interior fridge light (1 x 15W)
- Removable magnetic door seals – easy to clean
- 1 compressor

Food freshness system
- 1 vegetable/salad container with rippled base for improved air circulation

Key features
- 6 removable safety glass shelves of which 5 are easy pull-out
- 4 removable door storage compartments

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Ventilation in plinth, the plinth size can be varied
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 122.1 x 54.1 x 54.2cm
- Niche dimensions (H x W x D): 122.5 x 56 x 55cm

Included accessories
- 1 x egg tray

Serie 6 built-in fridge
KIR21AF30G fully integrated

Energy A++ | 33 dB | HydroFresh | Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 97kWh (per year)
- Total net capacity: 144 litres
- Net fridge capacity: 144 litres
- Noise level dB(A) re 1pW: 33

Design features
- Right hinged, door reversible
- Flat hinge
- Bright interior LED fridge light
- Electronic LED display
- 1 compressor

Food freshness system
- Freshsense – constant temperature by intelligent sensor technology
- Hydrofresh drawer with humidity control to prevent food from drying out – keeps fruit and vegetables fresh for twice as long

Key features
- 4 removable safety glass shelves of which 3 are easy pull-out, Non-adjustable bottom shelf, Extendable glass shelf
- 4 door trays, including 1 x dairy compartment
- Interior design with metal applications
- Hydrofresh drawer with humidity control to prevent food from drying out with rippled base for improved air circulation
- 1 removable door storage compartment
- Bright interior LED fridge light

Functions
- Optical and acoustical door open warning signal

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90W
- Dimensions: (H x W x D): 87.4 x 55.8 x 54.5cm
- Niche Dimensions: (H x W x D): 88 x 56 x 55cm

Included accessories
- 2 x egg tray

Serie 4 built-in fridge
KIR21VF30G fully integrated

Energy A++ | 36 dB | Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 97kWh (per year)
- Total net capacity: 144 litres
- Net fridge capacity: 144 litres
- Noise level dB(A) re 1pW: 36

Design features
- Right hinged door, door reversible
- Flat hinge
- Bright interior LED fridge light
- LED electronic control
- 1 compressor

Food freshness system
- Freshsense constant temperature by intelligent sensor technology – constant temperature by intelligent sensor technology
- 1 vegetable/salad container keeps fruit and vegetables fresh for twice as long

Key features
- 4 removable safety glass shelves of which 3 are easy pull out
- Easy access shelf easy access and everything in sight
- Vario shelf useful storage when required
- Interior design with metal applications
- 1 vegetable/salad container with rippled base for improved air circulation
- 1 removable door storage compartments
- Bright interior LED fridge light

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90W
- Dimensions: 87.4cm H x 53.8cm W x 54.2cm D
- Niche dimensions: 88cm H x 56cm W x 55cm D

Included accessories
- 2 x egg tray

This model will be available in June 2015.

Serie 4 built-in fridge
KIR21VS30G fully integrated

Energy A++ 36 dB

Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption 97kWh (per year)
- Total net capacity: 144 litres
- Net fridge capacity: 144 litres
- Noise level dB(A) re 1pW: 36

Design features
- Right hinged door, door reversible
- Sliding hinge
- Bright interior LED fridge light
- LED electronic control
- 1 compressor

Food freshness system
- Food freshness system
- Freshsense constant temperature by intelligent sensor technology – constant temperature by intelligent sensor technology
- 1 vegetable/salad container keeps fruit and vegetables fresh for twice as long

Key features
- 4 removable safety glass shelves of which 3 are easy pull out
- Easy access shelf easy access and everything in sight
- Vario shelf useful storage when required
- Interior design with metal applications
- 1 vegetable/salad container with rippled base for improved air circulation
- 1 removable door storage compartments
- Bright interior LED fridge light

Dimensions and installation
- Climate class SN-T (suitable for ambient temperatures between 10 to 43°C)
- Connection value 90W
- Dimensions: 87.4cm H x 53.8cm W x 54.2cm D
- Niche dimensions: 88cm H x 56cm W x 55cm D

Included accessories
- 2 x egg tray

Serie 2 built-in fridge
KIR18V20GB fully integrated

Energy A+ 34 dB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 122kWh (per year)
- Total net capacity: 150 litres
- Noise level dB(A) re 1pW: 34

Design features
- Right hinged door, door reversible
- Sliding hinge
- Mechanical control
- Interior fridge light (1 x 15W)
- Removable magnetic door seals – easy to clean
- 1 compressor

Food freshness system
- 1 vegetable/salad container with rippled base for improved air circulation

Key features
- 4 removable safety glass shelves of which 3 are easy pull-out
- 4 removable door storage compartments
- Automatic defrost fridge

Dimensions and installation
- Ventilation in plinth, the plinth size can be varied
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 87.4 x 54.1 x 54.2cm
- Niche dimensions (H x W x D): 88 x 56 x 55cm

Included accessories
- 1 x butter dish

Serie 6 built-under fridge with ice box
KUL15A60GB

Energy A++ 38 dB

Green Technology inside

Performance and consumption
- Energy efficiency class: A++
- Annual energy consumption: 140kWh (per year)
- Total net capacity: 123 litres
- Net fridge capacity: 108 litres
- Net freezer capacity: 15 litres
- Noise level dB(A) re 1pW: 38

Design features
- Right hinged door, door reversible
- Flat hinge
- Mechanical control
- Day light – bright interior fridge light (1 x 25W)
- Removable magnetic door seals – easy to clean
- 1 compressor

Food freshness system
- 1 vegetable/salad container, pull-out fridge tray with rippled base for improved air circulation

Key features (fridge section)
- 2 removable safety glass shelves of which 1 are easy pull-out
- 1 removable door storage compartment
- Automatic defrost fridge

Key features (freezer section)
- 1 hinged freezer compartment
- Ice box
- Maximum freezer storage time in power failure: 12 hours
- Freezing capacity in 24 hours: 2kg

Functions
- Freezer malfunction warning signal: optical, acoustical

Dimensions and installation
- Ventilation in plinth, the plinth size can be varied
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 82 x 59.8 x 54.8cm
- Niche dimensions (H x W x D): 82 x 60 x 55cm

Included accessories
- 1 x egg tray
- 1 x ice cube tray

Serie 6 built-under fridge
KUR15A50GB

Energy A+ 38 dB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 118kWh (per year)
- Total net capacity: 137 litres
- Noise level dB(A) re 1pW: 38

Design features
- Right hinged door, door reversible
- Flat hinge
- Mechanical control
- Day light – bright interior fridge light (1 x 25W)
- Removable magnetic door seals – easy to clean
- 1 compressor

Food freshness system
- 1 vegetable/salad container, pull-out fridge tray with rippled base for improved air circulation

Key features
- 3 removable safety glass shelves of which 3 are easy pull-out
  1 removable door storage compartment
- 1 dairy compartment in door
- Automatic defrost fridge

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 82 x 59.8 x 54.8cm
- Niche dimensions (H x W x D): 82 x 60 x 55cm

Included accessories
- 1 x egg tray

Serie 4 built-in freezer
GID18A50GB

Energy A+ | 36 dB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 192kWh (per year)
- Total net capacity: 94 litres
- Noise level dB(A) re 1pW: 36

Design features
- Right hinged door, door reversible
- Mechanical control
- Flat hinge

Key features
- Manual defrost freezer
- 4 star freezer rating
- 4 freezer drawers
- SuperFreezing function with manual deactivation
- 1 compressor/1 cooling circuit
- Freezing capacity in 24 hours: 12kg
- Maximum freezer storage time in power failure: 25 hours

Functions
- Freezer malfunction warning signal: optical and acoustical

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 87.4 x 54.1 x 54.2cm
- Niche dimensions (H x W x D): 88 x 56 x 55cm

Included accessories
- 2 x cold accumulator
- 1 x berry tray
- 1 x ice cube tray

Serie 4 built-in freezer
GID18A20GB

Energy A+ | 36 dB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 192kWh (per year)
- Total net capacity: 94 litres
- Noise level dB(A) re 1pW: 36

Design features
- Right hinged door, door reversible
- Mechanical control
- Sliding hinge

Key features
- Manual defrost freezer
- 4 star freezer rating
- 4 freezer drawers
- 1 compressor/1 cooling circuit
- Freezing capacity in 24 hours: 12kg
- Maximum freezer storage time in power failure: 25 hours

Functions
- Freezer malfunction warning signal: optical and acoustical

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 87.4 x 54.1 x 54.2cm
- Niche dimensions (H x W x D): 88 x 56 x 55cm

Included accessories
- 2 x cold accumulator
- 1 x berry tray
- 1 x ice cube tray

Serie 4 built under freezer
GUD15A50GB

Performance and consumption
- Energy efficiency class: A+
- Annual energy consumption: 184kWh (per year)
- Total net capacity: 98 litres
- Noise level dB(A) re 1pW: 38

Design features
- Right hinged door, door reversible
- Mechanical control
- Flat hinge

Food freshness system
- 1 compressor/1 cooling circuit

Key features
- Manual defrost freezer
- Defrost water outlet – for easy and convenient defrosting
- 4 star freezer rating
- 3 freezer drawers
- 1 compressor/1 cooling circuit
- Freezing capacity in 24 hours: 12kg
- Maximum freezer storage time in power failure: 23 hours

Functions
- Acoustic door open warning signal
- Freezer malfunction warning signal: optical, acoustical

Dimensions and installation
- Climate class SN-ST (suitable for ambient temperatures between 10 to 38°C)
- Connection value 90W
- Dimensions (H x W x D): 82 x 59.8 x 54.8cm
- Niche dimensions (H x W x D): 82 x 60 x 55cm

Included accessories
- 2 x cold accumulator
- 1 x ice cube tray

Image is for illustrative purposes only.

Save water every load.

It takes just 6.5 litres* of water for our AquaStar dishwashers to clean 13 place settings for a three-course meal**. That's less water than it takes to fill a standard-sized kitchen sink. And as our dishwashers are also energy efficient (up to an A+++ rating on some models), they also save your customers money.

Full size dishwashers.
Water saving, energy saving and time saving dishwashers with capacity to brilliantly clean up to 14 place settings used for a three-course dinner.

Slimline dishwashers.
Using innovative design and clever technology, we've created a range of high performance two-thirds sized dishwashers with surprisingly large capacities.

* 6.5 litre water consumption on standard Economy 50ºC programme.
** Three-course meal as defined by dinner, soup and dessert plate, cup and saucer, glass, knife, fork, soup, tea and dessert spoons for each place setting as well as 1 serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoon.

Introducing the dishwasher range.

Whisper quiet washing.
Bosch dishwashers are amongst the quietest in the world. With revolutionary **EcoSilence Drive™** there are dishwashers in the range at 39 decibels, that's even quieter than the sound of a bee buzzing!

Not just a pretty face.
The new **TFT touch colour display** from Bosch clearly indicates which programme is being used plus the energy and water consumption for your chosen cycle. It features a real time clock and will also tell you the programme finish time.

Take away the guess work.
Bosch dishwashers are so quiet sometimes it's hard to tell whether they are on or off. The new **TimeLight** indicates the programme status and time remaining onto any floor surface. So you'll never disrupt the dishwasher cycle again.

Save water every load.
It takes just 6.5 litres* of water for our AquaStar dishwashers to clean 13 place settings for a three-course meal**. That's less water than it takes to fill a kitchen sink.

10-year anti-rust warranty
Our appliances are made from top quality materials and in addition to our standard appliance warranty, we provide a **free of charge warranty** against rusting-through of the dishwasher's inner cavity.

* 6.5 litre water consumption on standard Economy 50ºC programme.
** Three-course meal as defined by dinner, soup and dessert plate, cup and saucer, glass, knife, fork, soup, tea and dessert spoons for each place setting as well as 1 serving plate, 2 serving bowls, 2 serving spoons, 1 serving fork and 1 sauce spoon.

Save more time, energy and water than ever before.

Serie | 8 ●●●●●

Our premium range.
Cutting-edge design meets advanced technologies. Exceptionally quiet with additional storage flexibility and versatile programming. Delivers optimum cleaning performance that is both energy and water efficient.

Serie | 6 ●●●●○

Our essential range.
Advanced technology with energy and water saving features ensure you save time, money and resources.

Serie | 4 ●●●○○

Our practical range.
Models that combine practical features and Bosch build quality in a consistent, value for money package.

Serie | 2 ●●○○○

Our quality range.
Our Serie 2 dishwashers offer you classic design with easy operation. They are the optimal solution for anyone who wants a reliable appliance with good value for money.

Serie 8 60cm dishwasher, ActiveWater™, semi integrated
SMI88TS00G brushed steel



Green Technology inside

Performance

- Energy efficiency class: A++
- Capacity: 14 place settings. VarioDrawer on 3rd level
- Energy consumption in Economy 50 programme: 266kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 41 dB
- Energy consumption in Economy 50 programme: 0.93kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions

- 8 programmes: Auto 35-45 °C, Auto 45-65 °C, Auto 65-75 °C, Super 60 °C, Economy 50 °C, Night Program 50 °C, Quick Wash 45 °C, Pre Rinse
- 5 special options: Intensive Zone, VarioSpeed Plus, Half Load, Hygiene Plus, Extra Dry
- EcoDry - End of cycle door opening for enhanced drying results
- 6 temperatures

Flexible design elements

- VarioFlex Pro basket system
- VarioDrawer Pro
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology

- Heat exchanger - Hygienic and efficient drying
- EcoSilence BLDC drive
- Curved spray arms
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features

- Stainless steel interior
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories

- Large item spray head, steam deflector plate

Optional accessories

- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ5001 Bottle and small parts holder
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5100 Vario-cutlery basket
- SMZ5300 Glass holder accessory

Serie 6 60cm dishwasher, ActiveWater™, semi integrated
SMI65P15GB brushed steel

Performance
- Energy efficiency class: A++
- Capacity: 13 place settings
- Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 1820 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44 dB
- Energy consumption in Economy 50 programme: 0.92kWh
- Water consumption in Economy 50 programme: 6.5 litres

Programmes/functions
- 6 programmes: Intensive 70 °C, Auto 45-65 °C, Economy 50°C, Delicate 40°C, Quick Wash 45 °C, Pre Rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Hygiene Plus, Extra Dry
- EcoDry - End of cycle door opening for enhanced drying results
- 5 temperatures

Flexible design elements
- VarioFlexPlus basket system
- Silver baskets with pull-out handle
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Glass rack in bottom basket
- Moveable cutlery basket in lower rack
- Knife rack in top basket

Innovations and technology
- Heat exchanger - Hygienic and efficient drying
- EcoSilence BLDC drive
- Curved spray arms
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- Control buttons on front of fascia
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Tamperproof controls
- Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5100 Vario-cutlery basket

Serie 4 60cm dishwasher, ActiveWater™, semi integrated
SMI50C15GB silver
SMI50C16GB black
SMI50C12GB white

Performance
- Energy efficiency class: A+
- Capacity: 12 place settings
- Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 46dB
- Energy consumption in Economy 50 programme: 1.02kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 5 programmes: Intensive 70°C, Auto 45-65 °C, Economy 50°C,
- Quick Wash 45°C, Pre Rinse
- 2 special options: VarioSpeed, Half Load
- 4 temperatures

Flexible design elements
- Vario basket system
- Silver baskets
- Height adjustable top basket when empty
- 2 foldable plate racks in bottom basket
- Cutlery basket in lower rack

Innovations and technology
- Residual heat drying system
- EcoSilence BLDC drive
- Curved spray arms
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel/Polinox interior
- Control buttons on front of fascia
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Child safety - Childproof door lock
- Electronic time delay: 1-24 hours with remaining programme time indicator (min), water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5006 Stainless steel panel strips
- SMZ5022 White décor conversion kit
- SMZ5025 Stainless steel decor conversion kit
- SMZ2044 Stainless steel door and plinth panel

Serie 8 60cm dishwasher, ActiveWater™, fully integrated
SMV88TD00G black

Performance
- Energy efficiency class: A+++
- Capacity: 14 place settings. VarioDrawer on 3rd level
- Energy consumption in Economy 50 programme: 237kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 42dB
- Energy consumption in Economy 50 programme: 0.83kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 8 programmes: Auto 35-45°C, Auto 45-65°C, Auto 65-75°C, Super 60°C, Economy 50°C, Night Program 50°C, Quick Wash 45°C, Pre Rinse
- 5 special options: Shine & Dry, Intensive Zone, VarioSpeed Plus, Half Load, Hygiene Plus
- 6 temperatures

Flexible design elements
- VarioFlex Pro basket system
- VarioDrawer Pro
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology
- EcoSilence BLDC drive
- Zeolith drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Heat exchanger
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- White interior emotion light
- TimeLight - White light projection on floor
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- ChildLock - double push to open
- DoorOpen Assist - perfectly designed for handless kitchens
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5100 Vario-cutlery basket
- SMZ5300 Glass holder accessory

Serie 8 60cm dishwasher, ActiveWater™, fully integrated
SMV87TD00G black

Performance

- Energy efficiency class: A++
- Capacity: 14 place settings. VarioDrawer on 3rd level
- Energy consumption in Economy 50 programme: 266kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44dB
- Energy consumption in Economy 50 programme: 0.93kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions

- 7 programmes: Auto 35-45°C, Auto 45-65°C, Auto 65-75°C, Super 60°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Half Load, Hygiene Plus
- 6 temperatures

Flexible design elements

- VarioFlex Pro basket system
- VarioDrawer Pro
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology

- EcoSilence BLDC drive
- Heat exchanger
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features

- Stainless steel interior
- White interior emotion light
- TimeLight - White light projection on floor
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- ChildLock - double push to open
- DoorOpen Assist - perfectly designed for handless kitchens
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet Indicator

Included accessories

- Large item spray head, steam protection plate

Serie 8 60cm dishwasher, ActiveWater™, fully integrated
SBE87TX00G black

Green Technology inside

Performance
- Energy efficiency class: A++
- Capacity: 14 place settings. VarioDrawer on 3rd level
- Energy consumption in Economy 50 programme: 266kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44dB
- Energy consumption in Economy 50 programme: 0.93kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 7 programmes: Auto 35-45°C, Auto 45-65°C, Auto 65-75°C, Super 60°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Half Load, Hygiene Plus
- 6 temperatures

Flexible design elements
- VarioFlex Pro basket system
- VarioDrawer Pro
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 8 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology
- Heat exchanger - Hygienic and efficient drying
- EcoSilence BLDC drive
- Curved spray arms
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- White interior emotion light
- Red info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Child safety - Childproof door lock
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5100 Vario-cutlery basket
- SMZ5300 Glass holder accessory

Serie 6 60cm dishwasher, ActiveWater™, fully integrated
SMV69P15GB brushed steel

Performance
- Energy efficiency class: A+
- Capacity: 14 place settings. VarioDrawer on 3rd level
- Energy consumption in Economy 50 programme: 299kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 39dB
- Energy consumption in Economy 50 programme: 1.05kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Half Load, Hygiene Plus
- EcoDry - End of cycle door opening for enhanced drying results
- 5 temperatures

Flexible design elements
- VarioFlexPlus basket system
- VarioFlexPlus basket system
- VarioDrawer on 3rd level
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Heat exchanger - Hygienic and efficient drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- Red info light
- Stainless steel interior
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5100 Vario-cutlery basket
- SMZ5300 Glass holder accessory

Serie 6 60cm dishwasher, ActiveWater™, fully integrated
SMV69M01GB brushed steel

Green Technology inside

Performance
- Energy efficiency class: A++
- Capacity: 13 place settings
- Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 1820 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44dB
- Energy consumption in Economy 50 programme: 0.92kWh
- Water consumption in Economy 50 programme: 6.5 litres

Programmes/functions
- 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Half Load, Extra Dry
- EcoDry - End of cycle door opening for enhanced drying results
- 5 temperatures

Flexible design elements
- VarioFlexPlus basket system
- VarioDrawer Plus
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Heat exchanger - Hygienic and efficient drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- TimeLight - White light projection on floor
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- ChildLock - double push to open
- DoorOpen Assist - perfectly designed for handless kitchens
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5300 Glass holder accessory

Serie 6 60cm dishwasher, ActiveWater™, fully integrated
SBV69M00GB brushed steel

Energy A++ | Water 6.5 L | 12+1 | 0.92 kWh | 44 dB | Anti-Rust | 86.5 cm | Green Technology inside

Performance
- Energy efficiency class: A++
- Capacity: 13 place settings
- Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 1820 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44dB
- Energy consumption in Economy 50 programme: 0.92kWh
- Water consumption in Economy 50 programme: 6.5 litres

Programmes/functions
- 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse
- 4 special options: Intensive Zone, VarioSpeed Plus, Half Load, Extra Dry
- 5 temperatures

Flexible design elements
- VarioFlexPlus basket system
- VarioDrawer Plus
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Heat exchanger - Hygienic and efficient drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- Red info light
- Stainless steel interior
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5015 Stainless steel compensating panels
- SMZ5300 Glass holder accessory

Serie 6 60cm dishwasher, ActiveWater™, fully integrated
SMV65M10GB brushed steel

Green Technology inside

Performance
- Energy efficiency class: A++
- Capacity: 13 place settings
- Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44dB
- Energy consumption in Economy 50 programme: 0.92kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 6 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Delicate 40°C, Quick Wash 45°C, Pre Rinse
- 2 special options: Intensive Zone, VarioSpeed Plus
- 5 temperatures

Flexible design elements
- VarioFlexPlus basket system
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 6 foldable plate racks in top basket
- 6 foldable plate racks in bottom basket
- Glass rack in bottom basket
- Moveable cutlery basket in lower rack
- Knife rack in top basket

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Heat exchanger - Hygienic and efficient drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- Red Info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Child safety - Childproof door lock
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5100 Vario-cutlery basket
- SMZ5300 Glass holder accessory

Serie 6 60cm dishwasher, ActiveWater™, fully integrated
SMV53M10GB brushed steel

Green Technology inside

Performance

- Energy efficiency class: A++
- Capacity: 13 place settings
- Energy consumption in Economy 50 programme: 262kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 46dB
- Energy consumption in Economy 50 programme: 0.92kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions

- 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash, Pre Rinse
- 2 special options: Intensive Zone, VarioSpeed Plus
- 4 temperatures

Flexible design elements

- VarioFlex basket system
- Silver baskets with pull-out handle
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Moveable cutlery basket in lower rack
- Knife rack in top basket

Innovations and technology

- EcoSilence BLDC drive
- Curved spray arms
- Heat exchanger - Hygienic and efficient drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features

- Stainless steel interior
- Red info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Child safety - Childproof door lock
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories

- Large item spray head, steam protection plate

Optional accessories

- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5300 Glass holder accessory

Serie 4 60cm dishwasher, ActiveWater™, fully integrated
SMV53L10GB brushed steel

Green Technology inside

Performance
- Energy efficiency class: A++
- Capacity: 12 place settings
- Energy consumption in Economy 50 programme: 258kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 46dB
- Energy consumption in Economy 50 programme: 0.90kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C,
- Quick Wash 45°C, Pre Rinse
- 3 special options: VarioSpeed Plus, Half Load, Extra Dry
- 4 temperatures

Flexible design elements
- VarioFlex basket system
- Silver baskets with pull-out handle
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Moveable cutlery basket in lower rack
- Knife rack in top basket

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Heat exchanger - Hygienic and efficient drying
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel/Polinox interior
- Red Info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5006 Stainless steel panel strips
- SMZ5300 Glass holder accessory

Serie 4 60cm dishwasher, ActiveWater™, fully integrated
SMV53L00GB brushed steel

Performance

- Energy efficiency class: A+
- Capacity: 12 place settings
- Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 3300 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 48dB
- Energy consumption in Economy 50 programme: 1.02kWh
- Water consumption in Economy 50 programme: 11.7 litres

Programmes/functions

- 5 programmes: Intensive 70°C, Auto 45-65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 2 special options: VarioSpeed, Half Load
- 4 temperatures

Flexible design elements

- VarioFlex basket system
- Silver baskets with pull-out handle
- 3 stage Rackmatic height-adjustable top basket
- 2 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Moveable cutlery basket in lower rack
- Knife rack in top basket

Innovations and technology

- EcoSilence BLDC drive
- Curved spray arms
- Residual heat drying system
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features

- Stainless steel/Polinox interior
- Red Info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self cleaning filter system with 3 piece corrugated filter
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories

- Large item spray head, steam protection plate

Optional accessories

- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5006 Stainless steel panel strips
- SMZ5300 Glass holder accessory

Serie 2 60cm dishwasher, ActiveWater™, fully integrated
SMV50C10GB black

Performance
- Energy efficiency class: A+
- Capacity: 12 place settings
- Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 3300 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 48dB
- Energy consumption in Economy 50 programme: 1.02kWh
- Water consumption in Economy 50 programme: 11.7 litres

Programmes/functions
- 5 programmes: Intensive 70°C, Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 1 special option: VarioSpeed
- 4 temperatures

Flexible design elements
- Vario basket system
- Silver baskets
- Height adjustable top basket when empty
- 2 foldable plate racks in bottom basket
- Cutlery basket in lower rack

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Residual heat drying system
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel/Polinox interior
- Red info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self cleaning filter system with 3 piece corrugated filter
- 3 / 6 / 9 hour time delay with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2014 Rack insert for stemware
- SMZ2055 Stainless steel attachment door
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5006 Stainless steel panel strips
- SMZ5300 Glass holder accessory

Serie 2 60cm dishwasher, ActiveWater™, fully integrated
SMV40C30GB black

Performance
- Energy efficiency class: A+
- Capacity: 12 place settings
- Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 3300 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 50dB
- Energy consumption in Economy 50 programme: 1.02kWh
- Water consumption in Economy 50 programme: 11.7 litres

Programmes/functions
- 4 programmes: Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 1 special option: VarioSpeed
- 3 temperatures

Flexible design elements
- Vario basket system
- Silver baskets
- Height adjustable top basket when empty
- 2 foldable plate racks in bottom basket
- Cutlery basket in lower rack

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Residual heat drying system
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel/Polinox interior
- Red info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self cleaning filter system with 3 piece corrugated filter
- 3 / 6 / 9 hour time delay with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2055 Stainless steel attachment door
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5006 Stainless steel panel strips

Serie 2 60cm dishwasher, ActiveWater™, fully integrated
SMV40C00GB black

Performance
- Energy efficiency class: A+
- Capacity: 12 place settings
- Energy consumption in Economy 50 programme: 290kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 3920 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 210 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 54dB
- Energy consumption in Economy 50 programme: 1.02kWh
- Water consumption in Economy 50 programme: 14 litres

Programmes/functions
- 4 programmes: Normal 65°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 3 temperatures

Flexible design elements
- Light grey baskets
- Cutlery basket in lower rack

Innovations and technology
- EcoSilence BLDC drive
- Curved spray arms
- Residual heat drying system
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel/Polinox interior
- Red info light
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self cleaning filter system with 3 piece corrugated filter

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ2044 Stainless steel door and plinth panel
- SMZ2055 Stainless steel attachment door
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5002 Silver polishing cassette
- SMZ5003 Drop hinge for tall cabinets
- SMZ5006 Stainless steel panel strips
- SMZ5025 Stainless steel decor conversion kit

Serie 6 45cm dishwasher, ActiveWater™, fully integrated
SPV69T00GB brushed steel

Energy A++ | Water 9.5 L | 10 | 0.95 kWh | 44 dB | Anti-Rust | Green Technology inside

Performance
- Energy efficiency class: A++
- Capacity: 10 place settings
- Energy consumption in Economy 50 programme: 211kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 44dB
- Energy consumption in Economy 50 programme: 0.75kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 6 programmes: Auto 35-45°C, Auto 45-65°C, Auto 65-75°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 3 special options: Intensive Zone, VarioSpeed Plus, Hygiene Plus
- 5 temperatures

Flexible design elements
- VarioFlexPlus basket system
- VarioDrawer on 3rd level
- Silver baskets with pullout handle and stainless steel inlay
- 3 stage Rackmatic height-adjustable top basket
- 3 foldable plate racks in top basket
- 4 foldable plate racks in bottom basket
- Glass rack in bottom basket

Innovations and technology
- Heat exchanger - Hygienic and efficient drying
- EcoSilence BLDC drive
- DuoPower spray arm in upper basket
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- TimeLight - White light projection on floor
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Electronic time delay: 1-24 hours with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5300 Glass holder accessory
- SPZ5100 Vario-cutlery basket

Serie 4 45cm dishwasher, ActiveWater™, fully integrated
SPV40C10GB black

Performance
- Energy efficiency class: A+
- Capacity: 9 place settings
- Energy consumption in Economy 50 programme: 220kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 2660 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 195 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 48dB
- Energy consumption in Economy 50 programme: 0.78kWh
- Water consumption in Economy 50 programme: 9.5 litres

Programmes/functions
- 4 programmes: Intensive 70°C, Economy 50°C, Quick Wash 45°C, Pre Rinse
- 1 special option: VarioSpeed
- 3 temperatures

Flexible design elements
- Vario basket system
- Silver baskets
- Height adjustable top basket when empty
- 2 foldable plate racks in bottom basket
- Variable cutlery basket in bottom rack
- Knife rack in top basket

Innovations and technology
- Heat exchanger - Hygienic and efficient drying
- EcoSilence BLDC drive
- DuoPower spray arm in upper basket
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- AquaSensor III, Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter
- Child safety - Childproof door lock
- 3 / 6 / 9 hour time delay with acoustic end of cycle indicator, water inlet indicator

Included accessories
- Large item spray head, steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SGZ3003 Silver polishing cassette
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips
- SMZ5300 Glass holder accessory

Serie 2 45cm dishwasher, ActiveWater™, fully integrated
SPV40C20GB black

Performance
- Energy efficiency class: A
- Capacity: 9 place settings
- Energy consumption in Economy 50 programme: 249kWh per year, based on 280 standard cleaning cycles
- Water consumption in Economy 50 programme: 3220 litres per year, based on 280 standard cleaning cycles
- Programme time in Economy 50 programme: 180 minutes
- A rated performance for washing and A for drying
- Noise level dB (A) re 1pW: 52dB
- Energy consumption in Economy 50 programme: 0.88kWh
- Water consumption in Economy 50 programme: 11.5 litres

Programmes/functions
- 4 programmes: Intensive 70°C, Normal 65°C, Economy 50°C, Quick Wash
- 4 temperatures

Flexible design elements
- Vario basket system
- Variable cutlery basket in bottom rack

Innovations and technology
- Residual heat drying system
- EcoSilence BLDC drive
- DuoPower spray arm in upper basket
- ActiveWater hydraulic water system
- DosageAssist detergent dispenser
- Automatic detergent detection
- Load Sensor
- AquaMix - Glass protection system
- AquaStop anti flood device with guarantee

Design features
- Stainless steel interior
- Push button top edge controls
- Red LED indicators
- LED salt refill indicator, LED rinse aid refill indicator
- Self-cleaning filter system with 3 piece corrugated filter

Included accessories
- Steam protection plate

Optional accessories
- SGZ1010 Aquastop extension
- SGZ3003 Silver polishing cassette
- SMZ5000 Dishwashing aid set
- SMZ5001 Bottle and small parts holders
- SMZ5003 Drop hinge for tall cabinets
- SMZ5005 Stainless steel panel strips

Image shown for illustrative purposes only.

Save water, save energy, save time.

Our most innovative range of built-in home laundry appliances yet. Bursting with green technology that saves time and energy, there are clever new functions that make laundry even easier.

Washing machines.

Our unique SoftSurge™ drum system doesn't just look after your clothes but also gives better cleaning results. The asymmetric paddles and raindrop drum surface provide a gentle cleaning power and allow water and detergents to flow more efficiently through the wash.

Washer dryers.

The Bosch Serie 6 washer dryer can wash and dry a 4kg load using half the water it takes a standard washer dryer to wash and dry a 2.5kg load. So you can do more washing (using less water and energy), get through the laundry pile quicker and get on with doing something you really love.

Introducing the home laundry range.

Washed and dried to perfection.
Programme a wash and dry in one go. Thanks to advanced **sensor drying**, load the machine and you'll come back to perfectly dry clothes.

Give your laundry a boost.
When you need lightly soiled items more quickly, press the **Flexi Time** button once to reduce the wash time by 30% without compromising the cleaning performance. And for very lightly soiled items, pressing it twice speeds it up faster still.

Wash more, iron less.
On both washing machines and washer dryers, the **reduced ironing** function delivers a gentler tumble during the spin cycle. As a result, your clothes come out less creased, which makes ironing them a lot quicker and easier.



Hand wash in the machine.
The **woollens hand wash programme** is so gentle that even the most delicate laundry can now be conveniently washed in the machine.

Our range of built-in home laundry appliances now save you even more water, energy and time. With clever new functions available across the range, it also means getting great cleaning results is even easier.

Serie | 8 •••••

Our premium range.
Cutting-edge design meets advanced technologies. Unique innovations combine with energy efficiency to deliver outstanding performance that also saves you time, water and money.

Serie | 6 ••••○

Our essential range.
Broad range of specialist programmes deliver high performance and effortless convenience to enhance your lifestyle.

Serie | 4 •••○○

Our practical range.
Models that combine practical features and Bosch build quality in a consistent, value for money package.

Serie 8 washing machine
WIS28441GB White



Performance

- Energy efficiency class: A+
- Capacity: 7kg
- Maximum spin speed: 1400rpm remaining moisture: 53%
- B spin class
- Energy consumption: 220kWh per year, based on 220 standard washing cycles
- Energy consumption standard 60°C cotton programme: 0.95kWh full load and 1.01kWh partial load and 40°C cotton programme 0.86kWh partial load
- Programme time: 60°C cotton programme 165 min at full load 160 min at partial load and 40°C cotton programme 135 min partial load
- Water consumption: 11000 litres per year, based on 220 standard washing cycles
- Drum volume: 55 litres
- Noise level washing: 46dB(A) re 1pW
- Noise level spinning: 64dB(A) re 1pW

Programmes/functions

- Special programmes: Dark Wash, Sensitive programme, Sportswear programme, Super Quick 15, Power Wash 60, Mixed Load, Wool programme, Delicates 30 degrees
- Option buttons: Start, Prewash, Reduced ironing option, temperature selection, Spin speed reduction, start delay

Key features

- 3D AquaSpa wash system with cascade for faster water penetration

Additional features

- Fully electronic control dial for all wash and special programmes
- Large display for programme progress indication, temperature, spin speed, time remaining and time delay
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- AquaStop with guarantee
- ActiveWater™: automatic load adjustment system
- Noise insulation package
- Buzzer to indicate the end of cycle
- Metal door catch

Technical information

- Dimensions (H x W x D): 81.8 x 60 x 57cm
- Large white door with 130° opening and 30cm porthole
- Furniture door is reversible
- Height adjustment with cardanDrive

Optional accessories

- WMZ2380 Extension for cold water inlet/Aquastop

Serie 8 washing machine
WIS24141GB White

Performance

- Energy efficiency class: A+
- Capacity: 7kg
- Maximum spin speed: 1200rpm remaining moisture: 59%
- C spin class
- Energy consumption: 220kWh per year, based on 220 standard washing cycles
- Energy consumption standard 60°C cotton programme: 0.95kWh full load and 1.01kWh partial load and 40°C cotton programme 0.86kWh partial load
- Programme time: 60°C cotton programme 165 min at full load 160 min at partial load and 40°C cotton programme 135 min partial load
- Water consumption: 11000 litres per year, based on 220 standard washing cycles
- Drum volume: 55 litres
- Noise level washing: 46dB(A) re 1pW
- Noise level spinning: 63dB(A) re 1pW

Programmes/functions

- Special programmes: Mixed load, Wool Programme, Delicates 30 degrees
- Option buttons: Start, Prewash, Reduced ironing option, Spin speed reduction

Key features

- 3D AquaSpa wash system with cascade for faster water penetration

Additional features

- Fully electronic control dial for all wash and special programmes
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- AquaStop with guarantee
- Foam detection system
- Noise insulation package
- Buzzer to indicate the end of cycle
- Metal door catch

Technical information

- Dimensions (H x W x D): 81.8 x 60 x 57cm
- Large white door with 130° opening and 30cm porthole
- Furniture door is reversible
- Height adjustment with cardanDrive

Optional accessories

- WMZ2380 Extension for cold water inlet/Aquastop

Serie 6 automatic washer dryer
WKD28540GB

Performance
- B energy, A wash and B spin class
- Capacity: 6kg washing, 3kg drying
- Non-stop wash and dry programme 4kg
- Spin speed selection: 1400 to 600rpm
- Energy consumption wash and dry: 4.81kWh
- Water consumption wash and dry: 79 litres
- Drum volume: 52 litres
- Noise level: washing 57dB (re 1pW)
- Noise level: spinning 74dB (re 1pW)

Programmes/functions
- Fully electronic control dial for all wash and special programmes
- Special programmes: Night Wash, Mixed Load, Super Quick 15, Delicates
- Special programme – drying: Fluff removal cycle
- Option buttons: menu, select

Key features
- AquaSpa wash system
- Electronic Humidity Control, time selection options

Additional features
- Large display for programme progress indication, temperature, spin speed, time remaining and 24 hours time delay, and indication of drying level
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- Aquasecure
- Foam detection system
- Buzzer to indicate the end of cycle
- Child lock
- Metal door catch

Technical information
- Dimensions (H x W x D): 82 x 59.5 x 58.4cm
- Fully integratable
- White door with 180° opening door and 30cm porthole opening
- Furniture door is reversible

Optional accessories
- WMZ2380 Extension for cold water inlet/Aquastop

Serie 4 automatic washer dryer
WKD28350GB

Performance
- B energy, A wash and B spin class
- Capacity: 6kg washing, 3kg drying
- Non-stop wash and dry programme 4kg
- Maximum spin speed: 1400rpm
- Energy consumption wash and dry: 4.85kWh
- Water consumption wash and dry: 83 litres
- Drum volume: 52 litres
- Noise level: washing 57dB (re 1pW)
- Noise level: spinning 74dB (re 1pW)

Programmes/functions
- Fully electronic control dial for all wash and special programmes
- Special programmes: Mixed load, Wool Programme, Delicates
- Special programme – drying: Fluff removal cycle
- Option buttons: Start, Spin speed reduction, menu, drying time

Key features
- AquaSpa wash system

Additional features
- Display for programme progress indication, time remaining and 24 hours time delay
- Safeguard monitoring system adjusts load distribution and programme settings to protect clothes
- Reload facility
- Multiple Water Protection
- Foam detection system
- Buzzer to indicate the end of cycle
- Child lock
- Metal door catch

Technical information
- Dimensions (H x W x D): 82 x 59.5 x 58.4cm
- Fully integratable
- White door with 180° opening door and 30cm porthole opening
- Furniture door is reversible

Optional accessories
- WMZ2380 Extension for cold water inlet/Aquastop

Notes

Notes

Notes

Contact Bosch Customer Service
To arrange an engineer visit, obtain product advice or order replacement spare parts or accessories visit www.bosch-home.co.uk or call **0344 892 8979**

Republic of Ireland customers should visit www.bosch-home.ie to arrange an engineer's visit or to order spare parts and accessories, or call **(01) 450 2655**

Bosch Home UK

@BoschHomeUK

Bosch
Grand Union House
Old Wolverton Road, Wolverton
Milton Keynes MK12 5PT
www.bosch-home.co.uk

BSH Home Appliances Limited
M50 Business Park
Ballymount, Dublin 12
Tel: 1890 626 041
www.bosch-home.ie

Calls are charged at the basic rate, please check with your telephone service provider for exact charges.

Disclaimer: This brochure is current as from the publication date and supersedes all previous brochures for these products. This brochure should not be regarded as an infallible guide nor as an offer for sale of any particular product. Whilst BSH Home Appliances Ltd believes that all information contained within this brochure is correct at the time of going to print, no representation or warranty, express or implied, is or will be made and no responsibility or liability is or will be accepted by BSH Home Appliances Ltd in relation to the accuracy or completeness of this information and any liability is expressly disclaimed. To the extent permitted by law, BSH Home Appliances Ltd expressly excludes: i) all conditions, warranties and other terms which might otherwise be implied by statute, common law or the law of equity and ii) any liability for any direct, indirect or consequential loss or damage (including, without limitation, damages for loss of business or loss of profits) arising in contract, tort or otherwise from the use of or reliance on any information contained within this brochure or from any action or decision taken as a result of such use or reliance. BSH Home Appliances Ltd reserves the right to modify technical data and all other information contained within this brochure without notice. All rights reserved. No part of this publication may be reproduced in any form or without the prior written permission of BSH Home Appliances Ltd. All colour variations are due to the limitations of the printing process. This brochure is printed on environment-friendly chlorine-free bleached paper.

April 2015

FSC www.fsc.org
MIX
Paper from responsible sources
FSC® C008161